HOWDENS JOINERY CO. | MAKING SPACE MORE VALUABLE

The Appliance, Sink & Tap Collection

Lamona Chrome Lugano Monobloc Tap

Lamona Professional 5 Burner Gas Hob

Lamona Fully Integrated Dishwasher

About Us

Howdens Joinery offers a range of integrated appliances, sinks and taps designed to meet the needs of the modern home and complement our range of kitchens.

We are a trade only business that has been selling to trade professionals since 1995. Given the complexity of the modern kitchen we strongly recommend that our appliances, sinks and taps are installed by appropriately qualified professionals.

• You have the reassurance that last year we supplied 600,000 appliances and 550,000 sinks and taps to UK homes.

• There are over 530 Howdens depots nationwide so it is likely we are local to you. And because we are local, your builder can collect exactly what he needs when he needs it to install your dream kitchen.

• Our CAD design experts will consult with you and your builder so that they can plan your kitchen, choosing the model and position of your appliances, sink and taps to suit your specific needs.

We sell a range of Lamona and Bosch products in all categories. Lamona is our own brand of appliances, sinks and taps. Lamona has been specially developed to complement your Howdens kitchen, offering you quality and reliability as well as good design.

We do not endorse trade professionals directly, but to help you find one, talk to your local Howdens Joinery depot or visit **www.howdens.com**

Lamona branded appliances, sinks and taps are exclusive to Howdens Joinery. For detailed product specifications please refer to **www.lamona.co.uk**

Howdens App

Bring an appliance to life by downloading the Howdens App. Hold your smartphone or tablet over the images marked with the icon in this brochure and, using the latest picture recognition technology, the App will start to play the associated appliance movie. When the movie starts to play, double-tap the screen to make it full-size.

ANDROID APP ON Google play

Available on the App Store

Copyright © Howden Joinery Ltd. All rights reserved.

Contents

Introduction to Lamona 02
Introduction to Bosch 03
Great Food Made Simple 04
The Complete Appliance Collection 05

Oven Guide 06

Lamona
Electric Ovens 08
Range Cookers 12
Microwave Ovens 13

Bosch
Electric Ovens 14
Microwave Oven 15

Range Cookers 16

Hob Guide 18

Lamona
Gas Hobs 20
Induction Hob 21
Ceramic Hobs 22
Electric Hobs 23

Bosch
Gas Hobs 24
Ceramic Hob 25
Electric Hob 25

Extractor Guide 26

Lamona
Chimney Extractors 28
Canopy Extractor 33
Integrated Extractors 33
Conventional Extractors 34

Bosch
Chimney Extractor 35

Rangemaster
Chimney Extractor 35

Filters and Ducting Kits 36
Splashbacks 36
Accessories 37

Refrigeration Guide 38

Lamona
Tower Refrigeration 40
Built-Under Refrigeration 44
Drinks Coolers 46

Bosch
Tower Refrigeration 46
Built-Under Refrigeration 47

Dishwasher Guide 48

Lamona 50
Bosch 51

Laundry Guide 52

Washer Dryer 54
Washing Machines 54

Lamona
Tumble Dryer 55

Bosch
Washer Dryer 56
Washing Machine 56

Freestanding Appliances 57

Cooker 58
Microwave Ovens 58
Refrigeration 59
Dishwashers 60
Laundry 61

Sink Guide 62

Lamona
Stainless Steel 63
Ceramic 67
Granite Composite 68

Plumbing Kits 69
Waste Kits 69
Waste Disposal 69

Tap Guide 70

Lamona
Single Lever Taps 71
Monobloc Taps 71
Bridge Tap 73
Deck Mixer Taps 73
Pillar Taps 74

Tap Accessories 74

Howdens Appliance Service 75
Comparison Guides 76
Quick Reference Guides 88
Kitchen Collection 95

LAMONA

Lamona Single Conventional Oven

Lamona Eco Deluxe Fully Integrated Dishwasher

Lamona Side Control Black Ceramic Hob with Silver Knobs

Lamona Rutland Single Bowl Sink

The Lamona range of appliances, sinks and taps is exclusive to Howdens Joinery and has been selected to perfectly complement our range of kitchens.

Lamona appliances are designed to look great and are manufactured to the highest standards to ensure they are durable and reliable, use less energy and water and run quietly, whilst providing excellent value for money.

You can choose from ovens, microwave ovens, hobs, extractors, fridges, freezers, dishwashers, tumble dryers, sinks and taps, which are all designed to t beautifully in your Howdens kitchen.

All Lamona appliances and a selection of unbranded appliances come with a 2 year manufacturer s guarantee* and what we believe is the best after sales service in the UK. All Lamona ovens also include a 5 year guarantee on door glass.

Lamona is available from stock in over 530 local depots to your trade professional.

*2 year guarantee applies to Lamona appliances purchased from 5th September 2011.

BOSCH

Bosch Gas Hob

Bosch Standard Single Fan Oven

Bosch Built-Under Integrated Larder Fridge

Bosch Fully Integrated Dishwasher

Howdens also sells a carefully selected range of Bosch appliances. The Bosch name has always meant a guarantee of both quality and reliability, and a commitment to ensuring uncompromising performance and great design is built into every single appliance it produces.

Bosch also prides itself on innovation. New ways are constantly being developed to reduce energy and water usage while maintaining product performance and ef ciency, helping to conserve the planet as well as saving money in lower running costs.

Our Bosch products come with a 1 year guarantee with an additional 1 year guarantee free on registration with Bosch. As with Lamona, they are available from stock in over 530 local depots to your trade professional.



Great food made simple

Interesting, tasty dishes needn t be dif cult to prepare. This is a belief held strongly by John Topham, Head Chef and Owner of The General Tarleton Inn in Yorkshire, and also the thinking behind Lamona appliances. John and Lamona have teamed up to create four collections of simple recipes for both entertaining and everyday dishes, which are designed to help you get the most out of your Lamona appliances.

The Lamona Cookbook Great food made simple , features 34 recipes with step-by-step instructions from John to prepare traditional English classics such as Rhubarb Crumble and more exotic favourites like Fragrant Moroccan Spiced Lamb.

The Lamona Cookbook Christmas food made simple , features 52 classic Christmas recipes, from festive breakfasts to creative ways with leftovers, as well as the traditional Roast Turkey and trimmings.

The Lamona Cookbook Great British food made simple , features 41 recipes for a celebratory spring and summer of parties, picnics and barbecues including Peppered Steak, Coronation Chicken and Victoria Sponge Cake.

The Lamona Cookbook Great Autumn food made simple features 39 recipes from satisfying soups, mouth-watering slow cooked recipes and a variety of Autumn classics.

The Lamona Cookbooks are available from your local depot when you have a kitchen CAD design plan.

www.lamona.co.uk
www.generaltarleton.co.uk

LAMONA & John Topham
The Perfect Combination

The Complete **Appliance** Collection

The Lamona range of appliances, sinks and taps is exclusive to Howdens Joinery and has been selected to perfectly complement our range of kitchens.



Pg 70
Taps



Pg 38
Refrigeration



Pg 26
Extractors



Pg 06
Ovens



Pg 62
Sinks



Pg 18
Hobs



Pg 52
Laundry



Pg 48
Dishwashers

Oven Guide

Choose from a range of single and double integrated ovens, which includes conventional to multi-function products, as well as microwave ovens and range cookers. Our selection of ovens will look the part in any kitchen.

Conventional Cooking

Uses heat from elements located in the top and bottom of the oven.

Fan Assisted Cooking

Circulates the heat generated by upper and lower heating elements.

True Fan Cooking

The heating element is located around the fan for better heat circulation.

Cooking with Lower Heating Element

The lower heating element is used independently to give concentrated lower heat, helping ensure food is cooked right through.

Cooking with Upper Heating Element

The upper heating element is used independently to give concentrated top heat. It is advisable to use this facility for no more than 15 minutes, towards the end of cooking.

Grilling

Choices include variable (adjustable power level) or fixed (adjustable shelf position), and on some products the option to use half the grill for small meals (dual zone).

Fan Grilling

The grill element browns food and seals in the juices, while the fan circulates heat evenly. As it needs lower temperatures, it is more economical.

Rapid Heat

Signi cantly reduces pre-heating times by rapidly heating the oven to the required temperature. Once the temperature is reached, the oven can be turned to the desired function for cooking.

Products marked with this logo are designed to meet the requirements of Inclusive Kitchens

Products identi ed with this symbol are manufactured in the UK

All Lamona appliances come with a 2 year manufacturer s guarantee.*
All Lamona ovens also include a 5 year guarantee on door glass.

Defrosting

Using the fan without heat circulates air around frozen food. It is more hygienic than leaving frozen food out to defrost over a long period of time.

Gas Cooking

One of the most energy ef cient ways of cooking, with different temperature zones throughout the oven that cook foods requiring different temperatures at the same time.

Gas Grilling

Fixed output setting where the cooking speed is adjusted by altering the shelf position.

Flame Failure Device



Part of the gas burner system that detects if the ame is extinguished and cuts off the gas supply.

Telescopic Runners

Telescopic shelf rails are tted with bearings for smooth and stable running. Food can be accessed without removal from the oven.

Automatic Ignition

The burner is automatically ignited at the turn of a knob.

Amperage Required

30 AMP Supply Needed

Child Lock

This safety feature prevents the oven from being switched on accidentally

Oven Net Usable Capacity

65 ltrs Oven capacity in litres

Energy Performance



All energy ratings are shown within the individual product information.

Microwave Ovens

400 W Microwave Wattage

400 W Grill Wattage

Energy Efficiency

A Energy Rating

*2 year guarantee applies to Lamona appliances purchased from 5th September 2011.

Lamona Single Multi-Function Oven

Stainless Steel LAM3600

Features

- Cooking functions: top and bottom heat, top and bottom heat with fan, fan cooking, bottom heat only, variable grill, fan grilling and defrost function
- Cooling fan
- LED programmable clock/timer
- Interior light
- Removable inner door glass
- H595mm x W594mm x D567mm
- 2 year guarantee
- 5 year guarantee on door glass

Conventional cooking
Variable single zone grill
Telescopic runners
Fan assisted cooking
Fan grilling
65 ltrs Oven net usable capacity
True fan cooking
Rapid heat
A Energy rating
Cooking with lower heating element
Defrosting
13 AMP Supply needed

Lamona Single Fan Oven

Stainless Steel LAM3400

Features

- Cooking functions: fan cooking, variable grill, fan grilling and defrost function
- Cooling fan
- LED programmable clock/timer
- Interior light
- Removable inner door glass
- H595mm x W594mm x D567mm
- 2 year guarantee
- 5 year guarantee on door glass

True fan cooking
65 ltrs Oven net usable capacity
Variable single zone grill
A Energy rating
Fan grilling
13 AMP Supply needed
Defrosting

Lamona Single Fan Oven

Stainless Steel LAM3401

Features

- Cooking functions: fan cooking, variable grill, fan grilling and defrost function
- Cooling fan
- LED programmable clock/timer
- Interior light
- Removable inner door glass
- H595mm x W595mm x D566mm
- 2 year guarantee
- 5 year guarantee on door glass

True fan cooking
65 ltrs Oven net usable capacity
Variable single zone grill
A Energy rating
Fan grilling
13 AMP Supply needed
Defrosting

NEW

Lamona White Single Fan Oven

White LAM3402

Features
- Cooking functions: fan cooking, variable grill, fan grilling and defrost function
- Cooling fan
- LED programmable clock/timer
- Interior light
- Removable inner door glass
- H595mm x W594mm x D567mm
- 2 year guarantee
- 5 year guarantee on door glass

True fan cooking
65 ltrs Oven net usable capacity
Variable single zone grill
A Energy rating
Fan grilling
13 AMP Supply needed
Defrosting

NEW

Lamona Black Single Fan Oven

Black LAM3403

Features
- Cooking functions: fan cooking, variable grill, fan grilling and defrost function
- Cooling fan
- LED programmable clock/timer
- Interior light
- Removable inner door glass
- H595mm x W594mm x D567mm
- 2 year guarantee
- 5 year guarantee on door glass

True fan cooking
65 ltrs Oven net usable capacity
Variable single zone grill
A Energy rating
Fan grilling
13 AMP Supply needed
Defrosting

Lamona Single Fan Assisted Oven

Stainless Steel LAM3301

Features
- Cooking functions: fan assisted cooking, top and bottom heat, bottom heat only, fan grilling and variable grill
- Cooling fan
- Interior light
- Removable inner door glass
- H595mm x W594mm x D567mm
- 2 year guarantee
- 5 year guarantee on door glass

Conventional cooking
Rapid heat
Fan assisted cooking
65 ltrs Oven net usable capacity
Cooking with lower heating element
A Energy rating
Variable single zone grill
13 AMP Supply needed
Fan grilling

Lamona Single Conventional Oven

Stainless Steel LAM3204

Features
- Cooking functions: top and bottom heat, bottom heat only and variable grill
- Cooling fan
- Interior light
- Removable inner door glass
- H595mm x W595mm x D566mm
- 2 year guarantee
- 5 year guarantee on door glass

Conventional cooking

65 ltrs — Oven net usable capacity

Cooking with lower heating element

A — Energy rating

Variable single zone grill

13 AMP — Supply needed

Lamona Single Conventional Oven

Stainless Steel LAM3201

Features
- Cooking functions: top and bottom heat, bottom heat only and variable grill
- Cooling fan
- Interior light
- Removable inner door glass
- H595mm x W594mm x D567mm
- 2 year guarantee
- 5 year guarantee on door glass

Conventional cooking

65 ltrs — Oven net usable capacity

Cooking with lower heating element

A — Energy rating

Variable dual zone grill

13 AMP — Supply needed

Lamona Single Conventional Oven

White LAM3205

Features
- Cooking functions: top and bottom heat, bottom heat only and variable grill
- Cooling fan
- Interior light
- Removable inner door glass
- H595mm x W594mm x D567mm
- 2 year guarantee
- 5 year guarantee on door glass

Conventional cooking

65 ltrs — Oven net usable capacity

Cooking with lower heating element

A — Energy rating

Variable dual zone grill

13 AMP — Supply needed

Single Electric Ovens

Lamona Single Conventional Oven

Black LAM3206

Features
- Cooking functions: top and bottom heat, bottom heat only and variable grill
- Cooling fan
- Interior light
- Removable inner door glass
- H595mm x W594mm x D567mm
- 2 year guarantee
- 5 year guarantee on door glass

Conventional cooking

65 ltrs — Oven net usable capacity

Cooking with lower heating element

A — Energy rating

Variable dual zone grill

13 AMP — Supply needed

Double Tower Electric Oven

Lamona Double Fan Oven

Stainless Steel LAM4601

Features
- LED programmable clock/timer
- Removable inner door glass
- H890mm x W594mm x D567mm
- 2 year guarantee
- 5 year guarantee on door glass

Top oven
- Cooking functions: top and bottom heat, bottom heat only and variable grill

Main oven
- Cooking functions: fan cooking and defrost function
- Cooling fan
- Interior light

Hold your smartphone or tablet over the image to bring this oven to life

Features	Top Oven	Main Oven
20 AMP — Supply needed	Conventional cooking	True fan cooking
	Cooking with lower heating element	Defrosting
	Variable dual zone grill	65 ltrs — Oven net usable capacity
	35 ltrs — Oven net usable capacity	A — Energy rating
	A — Energy rating	

Built-Under Double Electric Oven

Lamona Built-Under Double Fan Oven

Stainless Steel LAM4401

Features
- LED programmable clock/timer
- Removable inner door glass
- H715mm x W596mm x D570mm
- 2 year guarantee
- 5 year guarantee on door glass

Top oven
- Cooking functions: top and bottom heat, bottom heat only and variable grill

Main oven
- Cooking functions: fan cooking and defrost function
- Cooling fan
- Interior light

Not compatible with LAM1761 Lamona Induction Hob

Features	Top Oven	Main Oven
20 AMP — Supply needed	Conventional cooking	True fan cooking
	Cooking with lower heating element	Defrosting
	Variable dual zone grill	45 ltrs — Oven net usable capacity
	33 ltrs — Oven net usable capacity	A — Energy rating
	B — Energy rating	

Lamona Range Cooker

Stainless Steel 90cm LAM5100

Features
- Dual fuel
- LED programmable clock/timer
- 5 burners: 1 rapid wok, 1 rapid, 2 semi-rapid, 1 simmer
- Cast iron pan supports
- LPG convertible
- H900-930mm x W900mm x D600mm
- 2 year guarantee
- 5 year guarantee on door glass

Top left grill
- Cooking functions: variable dual zone grill

Bottom left oven
- Cooking functions: fan cooking and defrost function
- Cooling fan
- Interior light

Right oven
- Cooking functions: fan cooking and defrost function
- Cooling fan
- Interior light

Features	Top Left Grill	Bottom Left Oven	Right Oven
32 AMP Supply needed	Variable dual zone grill	True fan cooking	True fan cooking
Hob: 2.0 / 3.6 / 2.9 / 2.0 / 1.0 kW		Defrosting	Defrosting
		45 ltrs Oven net usable capacity	66 ltrs Oven net usable capacity
Automatic ignition		A Energy rating	A Energy rating
Flame failure device			

Lamona Range Cooker

Lamona Integrated Microwave & Grill

Stainless Steel & Black HJA7042

Features
- 3 microwave functions: defrost, heat and high cook
- 8 automatic cooking menus
- 5 power levels up to 900W
- Grill power level up to 1000W
- Fixed grill
- LED programmable clock/timer
- H460mm x W594mm x D416mm*
- 2 year guarantee

Defrosting

900 W — Microwave wattage

23 ltrs — Oven net usable capacity

1000 W — Grill wattage

Child lock

13 AMP — Supply needed

Lamona Wall Unit Microwave

Stainless Steel & Black HJA7030

Features
- 3 microwave functions: power, jet start and jet defrost
- 4 power levels up to 750W
- LED programmable clock/timer
- H382mm x W595mm x D320mm
- 2 year guarantee

Defrosting

750 W — Microwave wattage

22 ltrs — Oven net usable capacity

13 AMP — Supply needed

Lamona Integrated Microwave & Grill

Lamona Wall Unit Microwave

*Product dimensions include trim

Bosch Single Fan Oven

Stainless Steel HAP3331

Features
- Cooking functions: fan cooking, variable grill, fan grilling and defrost function
- Cooling fan
- LED programmable clock/timer (touch control)
- Self cleaning roof and back panels (catalytic)
- Interior light
- Removable inner door glass
- H595mm x W595mm x D550mm
- 2 year guarantee subject to registration with Bosch

True fan cooking
67 ltrs Oven capacity*
Variable single zone grill
Child lock
Fan grilling
A Energy rating
Defrosting
13 AMP Supply needed

Bosch Standard Single Fan Oven

Stainless Steel HAP3300

Features
- Cooking functions: fan cooking, variable grill, fan grilling and defrost function
- Cooling fan
- LED programmable clock/timer
- Interior light
- H595mm x W595mm x D548mm
- 2 year guarantee subject to registration with Bosch

True fan cooking
67 ltrs Oven capacity*
Variable single zone grill
Child lock
Fan grilling
A Energy rating
Defrosting
13 AMP Supply needed

Built-Under Double Electric Oven

Bosch Built-Under Double Fan Oven

Stainless Steel HAP4500

Features
- LED programmable clock/timer (touch control)
- Removable inner door glass
- H720mm x W595mm x D550mm
- 2 year guarantee subject to registration with Bosch

Top oven
- Cooking functions: top and bottom heat and variable grill
- Self cleaning roof and back panels (catalytic)
- Interior light

Main oven
- Cooking functions: fan cooking and defrost function
- Cooling fan
- Self cleaning back panels (catalytic)
- Interior light

Not compatible with LAM1761 Lamona Induction Hob

Features	Top Oven	Main Oven
20 AMP Supply needed	Conventional cooking	True fan cooking
	Variable single zone grill	Defrosting
	35 ltrs Oven capacity*	56 ltrs Oven capacity*
	A Energy rating	Child lock
		A Energy rating

Double Tower Electric Ovens

Bosch Double Fan Oven

Stainless Steel HAP4330

Features
- LED programmable clock/timer (touch control)
- Removable inner door glass
- H890mm x W595mm x D550mm
- 2 year guarantee subject to registration with Bosch

Top oven
- Cooking functions: top and bottom heat and variable grill
- Self cleaning back panels (catalytic)
- Interior light

Main oven
- Cooking functions: fan cooking and defrost function
- Cooling fan
- Self cleaning roof and back panels (catalytic)
- Interior light

Features	Top Oven	Main Oven
20 AMP Supply needed	Conventional cooking	True fan cooking
	Variable single zone grill	Defrosting
	35 ltrs Oven capacity*	71 ltrs Oven capacity*
	B Energy rating	Child lock
		A Energy rating

Microwave Oven

Bosch Integrated Combination Microwave

Stainless Steel HAP7010

Features
- 12 microwave functions: fan cooking, variable grill and fan grilling
- 11 automatic combination programmes
- 5 microwave power levels up to 1000W
- 3 grill power levels up to 2000W
- 4 automatic defrost programmes
- Fast heat
- Cooling fan
- LED programmable clock/timer (touch control)
- H459mm x W595mm x D563mm
- 2 year guarantee subject to registration with Bosch

True fan cooking	Defrosting	1000 W Microwave wattage
Variable dual zone grill	36 ltrs Oven capacity*	2000 W Grill wattage
Fan grilling	Child lock	15 AMP Supply needed

Single Electric Oven

Side Opening Single Fan Oven

L/H Stainless Steel HAP3501

R/H Stainless Steel HAP3502

Features
- Cooking functions: fan cooking, variable grill, fan grilling and defrost function
- Cooling fan
- LED programmable clock/timer
- Interior light
- H595mm x W594mm x D567mm
- 2 year guarantee

True fan cooking	Telescopic runners	13 AMP Supply needed
Variable single zone grill	65 ltrs Oven net usable capacity	
Fan grilling	Child lock*1	
Defrosting	A Energy rating	

*Oven capacity to EN50304 *1Locks timer button only

Leisure Range Cooker

Black 90cm HJA5093

Features
- Dual fuel
- Analogue 12hr timer (minute minder 55 mins)
- 5 burners: 1 rapid wok, 1 rapid, 2 semi-rapid, 1 simmer
- Cast iron pan supports
- LPG convertible
- H900-930mm x W900mm x D600mm
- 1 year warranty

Right oven
- Cooking functions: fan cooking and defrost function
- Cooling fan
- Interior light

Top left oven
- Cooking functions: top and bottom heat and variable grill
- Self cleaning liners (catalytic)
- Interior light

Bottom left oven
- Cooking functions: top and bottom heat, top and bottom heat with fan, fan cooking, bottom heat with fan, top heat with fan, variable grill and defrost function
- Cooling fan
- Self cleaning liners (catalytic)
- Interior light

Features	Top Left Oven	Bottom Left Oven		Right Oven
30 AMP Supply needed	Conventional cooking	Conventional cooking	Variable single zone grill	True fan cooking
	Variable single zone grill	Fan assisted cooking	Defrosting	Defrosting
Hob 2.0 / 1.0 / 3.6 / 2.9 / 2.0 kW	Telescopic runners	True fan cooking	Telescopic runners	66 ltrs Oven net usable capacity
Automatic ignition	27 ltrs Oven net usable capacity	Cooking with lower heating element	46 ltrs Oven net usable capacity	A Energy rating
Flame failure device	B Energy rating	Cooking with upper heating element	A Energy rating	

Leisure Range Cooker

Rangemaster Range Cooker
Stainless Steel 110cm HAP5200

Features
- Dual fuel
- LED programmable clock/timer
- 6 burners: 1 rapid wok, 2 rapid, 2 semi-rapid, 1 simmer
- Cast iron pan supports
- LPG convertible
- H903-930mm x W1100mm x D648mm
- 2 year warranty

Top left grill
- Cooking functions: variable dual zone grill

Bottom left oven
- Cooking functions: top and bottom heat, top heat only
- Self cleaning liners (catalytic)
- Interior light

Top right oven
- Cooking functions: fan cooking
- Self cleaning liners (catalytic)
- Interior light

Bottom right cavity
- Storaged rawer

Features	Hob	Top Left Grill	Bottom Left Oven	Top Right Oven
32 AMP Supply needed	3.0 1.7 1.7 3.0 1.0 3.65 kW	Variable dual zone grill	Conventional cooking	True fan cooking
UK MANUFACTURED	Automatic ignition		Cooking with upper heating element	67 ltrs Oven net usable capacity
	Flame failure device		67 ltrs Oven net usable capacity	A Energy rating
			A Energy rating	

Rangemaster Range Cooker

Hob Guide

Our selection of hobs are available in 60cm and 70cm widths, and feature traditional gas, induction, ceramic, and solid hot plate. All our hobs are easy to clean and designed with safety in mind.

Lamona Enamel Gas Hob

Lamona Front Touch Control Ceramic Hob

Automatic Ignition

The burner is automatically ignited at the turn of a knob.

Flame Failure Device



Part of the gas burner system that detects if the ame is extinguished and cuts off the gas supply.

Booster

This facility enables water to be brought to the boil quickly and ef ciently. The selected cooking zone heats to maximum power for a period of time before automatically dropping to a lower power setting.

Timer

The cooking zone automatically switches off once the cooking time has come to an end.

Hi-lite Cooking Element



Heats up in less than ve seconds.

Residual Heat Indicator



Warns that hobs are hot even after turning off.

Hob On Indicator

Shows the hobs are on for safety warning.

Flush Fitting Design

Hob reaches only 5mm above the worktop for attractive lines.

Power Rating

The power consumption of each burner/plate in kilowatts (kW).

Child Lock

This safety feature prevents the hob from being switched on accidentally.

Amperage Required

3 AMP

Supply Needed

Products identi ed with this symbol have the Energy Saving Trust recommended certi cation mark

Products marked with this logo are designed to meet the requirements of Inclusive Kitchens

All Lamona appliances come with a 2 year manufacturer s guarantee*

*2 year guarantee applies to Lamona appliances purchased from 5th September 2011.

Extra Wide Gas Hob

LAMONA

A traditional method of cooking food on a hob using gas as fuel

Lamona Professional 5 Burner Gas Hob

Stainless Steel LAM1180

Features
- 1 wok burner
- 1 rapid burner
- 2 semi-rapid burners
- 1 simmer burner
- Cast iron pan supports
- LPG convertible
- W680mm x D510mm
- 2 year guarantee

Automatic ignition

2.9 | 2.0
1.0 | 3.6 | 2.0
kW

Flame failure device

3 AMP
Supply needed

Gas Hobs

A traditional method of cooking food on a hob using gas as fuel

Lamona Professional Gas Hob

Stainless Steel LAM1160

Features
- 1 rapid burner
- 2 semi-rapid burners
- 1 simmer burner
- Cast iron pan supports
- LPG convertible
- W580mm x D510mm
- 2 year guarantee

Automatic ignition

2.9 | 2.0
1.0 | 2.0
kW

Flame failure device

3 AMP
Supply needed

Lamona Gas Hob

Stainless Steel LAM1001

Features
- 1 rapid burner
- 2 semi-rapid burners
- 1 simmer burner
- Enamel pan supports
- LPG convertible
- W580mm x D510mm
- 2 year guarantee

Flame failure device

3 AMP
Supply needed

2.0 | 2.0
2.9 | 1.0
kW

Gas Hobs

A traditional method of cooking food on a hob using gas as fuel

Lamona Enamel Gas Hob
White LAM1000

Features
- 1 rapid burner
- 2 semi-rapid burners
- 1 simmer burner
- Enamel pan supports
- LPG convertible
- W580mm x D510mm
- 2 year guarantee

Flame failure device
3 AMP Supply needed
2.0 2.0 2.9 1.0 kW

Lamona Enamel Gas Hob
Black LAM1003

Features
- 1 rapid burner
- 2 semi-rapid burners
- 1 simmer burner
- Enamel pan supports
- LPG convertible
- W580mm x D510mm
- 2 year guarantee

Flame failure device
3 AMP Supply needed
2.0 2.0 2.9 1.0 kW

Induction Hob

Induction hobs work through magnetism, heating only the diameter of the saucepan base, and are therefore more energy ef cient than ceramic, electric and gas hobs

Lamona Induction Hob
Ceramic LAM1761

Features
- Frameless hob
- Front touch controls
- 4 induction zones
- W580mm x D510mm
- 2 year guarantee

Hold your smartphone or tablet over the image to bring this hob to life

Not compatible with LAM4401 Lamona Built-Under Double Fan Oven and HAP4500 Bosch Built-Under Double Fan Oven

Booster
Flush tting design
32 AMP Supply needed
Residual heat indicator
Child lock
Hob on indicator
1.2 1.5 1.5 1.2 kW

Please note this hob requires suitably sized cookware with a magnetic base.
(As the induction hob creates a magnetic eld around its vicinity, it is not suitable for people who have a pacemaker or insulin pump in their bodies.)

Using hidden elements, heat transfers through super-tough glass to the pan

Lamona Front Touch Control Ceramic Hob

Ceramic LAM1741

Features
- Frameless hob
- Front touch controls
- 4 hi-lite cooking zones
- W590mm x D520mm
- 2 year guarantee

Timer | Hob on indicator | 1.2 1.8 2.1 1.2 kW

Hi-lite cooking | Flush tting design | 32 AMP Supply needed

Residual heat indicator | Child lock



Lamona Side Control Black Ceramic Hob

Black Knobs LAM1701

Silver Knobs **NEW** LAM1710

Features
- Frameless hob
- 4 hi-lite zones
- W580mm x D510mm
- 2 year guarantee

Hi-lite cooking | Hob on indicator | 1.2 1.7 1.7 1.2 kW

Residual heat indicator | Flush tting design | 32 AMP Supply needed



Lamona Side Control White Ceramic Hob

Silver Knobs LAM1702

White Knobs LAM1711

Features
- Frameless hob
- 4 hi-lite zones
- W580mm x D510mm
- 2 year guarantee

Hi-lite cooking | Hob on indicator | 1.2 1.7 1.7 1.2 kW

Residual heat indicator | Flush tting design | 32 AMP Supply needed

Using electricity as fuel, the burner/solid hot plate transfers heat to the pan

Lamona Electric Hob

Stainless Steel LAM1211

Features
- 3 rapid hot plates
- 1 standard hot plate
- W580mm x D510mm
- 2 year guarantee

Hob on indicator

1.5 1.5
2.0 1.5
kW

32 AMP
Supply needed

Lamona Enamel Electric Hob

White LAM1210

Features
- 3 rapid hot plates
- 1 standard hot plate
- W580mm x D510mm
- 2 year guarantee

Hob on indicator

1.5 1.5
2.0 1.5
kW

32 AMP
Supply needed

Lamona Enamel Electric Hob

Black LAM1213

Features
- 3 rapid hot plates
- 1 standard hot plate
- W580mm x D510mm
- 2 year guarantee

Hob on indicator

1.5 1.5
2.0 1.5
kW

32 AMP
Supply needed

Extra Wide Gas Hob

A traditional method of cooking food on a hob using gas as fuel

Bosch 5 Burner Gas Hob

Stainless Steel HAP1170

Features
- 1 wok burner
- 1 rapid burner
- 2 semi-rapid burners
- 1 simmer burner
- Cast iron pan supports
- LPG convertible
- W702mm x D520mm
- 2 year guarantee subject to registration with Bosch

Automatic ignition

1.7 | 4.0 | 3.0
1.0 | | 1.7
kW

Flame failure device

3 AMP
Supply needed

Gas Hobs

A traditional method of cooking food on a hob using gas as fuel

Bosch Gas Hob

Stainless Steel HAP1160

Features
- 1 rapid burner
- 2 semi-rapid burners
- 1 simmer burner
- Cast iron pan supports
- LPG convertible
- W582mm x D520mm
- 2 year guarantee subject to registration with Bosch

Automatic ignition

1.7 | 3.0
1.7 | 1.0
kW

Flame failure device

3 AMP
Supply needed

Bosch Standard Gas Hob

Stainless Steel HAP1141

Features
- 1 rapid burner
- 2 semi-rapid burners
- 1 simmer burner
- Enamel pan supports
- LPG convertible
- W580mm x D510mm
- 2 year guarantee subject to registration with Bosch

Automatic ignition

1.75 | 1.75
3.0 | 1.0
kW

Flame failure device

3 AMP
Supply needed

Ceramic Hob

Using hidden elements, heat transfers through super-tough glass to the pan

Bosch Front Touch Control Ceramic Hob

Ceramic HAP1673

Features
- Frameless hob
- Front touch controls
- 4 hi-lite zones
- W592mm x D522mm
- 2 year guarantee subject to registration with Bosch



Electric Hob

Using electricity as fuel, the burner/solid hot plate transfers heat to the pan

Bosch Standard Electric Hob

Stainless Steel HAP1211

Features
- 4 rapid hot plates
- W580mm x D510mm
- 2 year guarantee subject to registration with Bosch

Bosch Front Touch Control Ceramic Hob

Bosch Standard Electric Hob

Extractor Guide

Extractors today are not only functional but can also provide an elegant focal point within the kitchen. Choose from our selection of chimney, canopy, integrated and conventional extractors. All our extractors can either be installed ducted out or re-circulated.

Extraction Rate

480 M3

Maximum rate of extraction in cubic metres per hour. Rate of extraction is based on ducted installation.

Fan Speeds

3

Number of fan speeds available.

Noise Level



65 dBA

Noise level in decibels at maximum fan speed (dBA).

Built in Light

A secondary source of light for convenience whilst cooking.

Ducting Kit

Ø 150

Ducting kit diameter sizes which can be used.

Automatic Fan

Microswitch control operates fan automatically when door or visor is opened.

Remote Control

Remote operation for ease of use.

Amperage Required

3 AMP

Supply Needed

All Lamona appliances come with a 2 year manufacturer's guarantee*

Products marked with this logo are designed to meet the requirements of Inclusive Kitchens

Products identified with this symbol are manufactured in the UK

Ducted Application

Removes odour and smoke particles from the kitchen/room to the outside of the home via a ducting kit.



Ductless Application – Re-circulating

Removes odour and smoke particles from the air. This air then passes through a carbon filter before being released back into the kitchen/room.



Ducting Kits

Depending on the position of the extractor in the kitchen, there are two types of ducting kits available.

Rigid Ducting Kit



Flexible Ducting Kit



Carbon Filters

Carbon filters have a limited life. We advise you to change them when there is a noticeable drop in performance. The intervals between changing the filter will depend entirely upon the amount of cooking you do, but on average they will last around six months.



Please see page 36 for replacement carbon filters.

Grease Filter

The grease filter should be removed and washed regularly. Please check the instruction manual for details.



*2 year guarantee applies to Lamona appliances purchased from 5th September 2011.

NEW

Lamona Stainless Steel Cylinder Island Chimney Extractor

Stainless Steel	LAM2601
Extension Chimney Section	LAM2602

Features
- Push button controls
- 3 x 1 watt LED lights
- Washable grease filter
- Ducting kits APL2805/06/07 to duct out
- Carbon filter HJA2909 required for re-circulating
- H680-780mm x Diam. 350mm
- For ceiling heights above 2.4m to 2.7m use Extension Chimney Section LAM2602
- 2 year guarantee

507 M3 Extraction rate
Ø 125 Ducting kit
3 Fan speeds
Ø 150 Ducting kit
61 dBA Noise level
3 AMP Supply needed
Built in light

Lamona Stainless Steel and Glass Island Chimney Extractor

Stainless Steel and Glass 90cm	LAM2600†

Features
- Push button controls
- 4 x 50 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2900 required for re-circulating
- H627-1027mm x W900mm x D600mm*
- 2 year guarantee

851 M3 Extraction rate
Built in light
3 Fan speeds
Ø 125 Ducting ki
61 dBA Noise level
3 AMP Supply needed

Chimney Extractors

Remote control

Lamona Angled Chimney Extractor

Stainless Steel and Glass 90cm	HJA2600

Features
- Push button controls
- 2 x 50 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2900 required for re-circulating
- H740-1240mm x W900mm x D460mm*
- 2 year guarantee

851 M3 Extraction rate
Ø 125 Ducting kit
3 Fan speeds
Remote control
61 dBA Noise level
3 AMP Supply needed
Built in light

Lamona 90cm Flat Glass Extractor

Stainless Steel and Glass 90cm LAM2590

Features
- Push button controls
- 2 x 50 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter LAM2900 required for re-circulating
- H627-1027mm x W900mm x D470mm*
- 2 year guarantee

Lamona 70cm Flat Glass Extractor

Stainless Steel and Glass 70cm LAM2570

Features
- Push button controls
- 2 x 50 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter LAM2900 required for re-circulating
- H627-1027mm x W700mm x D470mm*
- 2 year guarantee

Lamona 60cm Flat Glass Extractor

Stainless Steel and Glass 60cm LAM2560

Features
- Push button controls
- 2 x 50 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter LAM2900 required for re-circulating
- H627-1027mm x W600mm x D470mm*
- 2 year guarantee







*Product dimensions include glass † Subject to availability

Lamona 60cm White Flat Glass Extractor

Stainless Steel and Glass 60cm LAM2561

Features
- Push button controls
- 2 x 50 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter LAM2900 required for re-circulating
- H627-1027mm x W600mm x D470mm*
- 2 year guarantee

Lamona 60cm Black Flat Glass Extractor

Stainless Steel and Glass 60cm LAM2562

Features
- Push button controls
- 2 x 50 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter LAM2900 required for re-circulating
- H627-1027mm x W600mm x D470mm*
- 2 year guarantee

Lamona Stainless Steel and Glass Chimney Extractor

Stainless Steel and Glass 90cm HJA2500

Features
- Push button controls
- 2 x 50 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2900 required for re-circulating
- H675-900mm x W900mm x D500mm*
- 2 year guarantee







Lamona Stainless Steel and Glass Chimney Extractor

Stainless Steel and Glass 60cm HJA2420

Features
- Push button controls
- 2 x 50 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2900 required for re-circulating
- H675-900mm x W600mm x D500mm*
- 2 year guarantee

Hold your smartphone or tablet over the image to bring this extractor to life

480 M3 Extraction rate

Built in light

3 Fan speeds

Ø 125 Ducting kit

55 dBA Noise level

3 AMP Supply needed

Lamona Stainless Steel Chimney Extractor

Stainless Steel 90cm HJA2540

Features
- Push button controls
- 2 x 40 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2900 required for re-circulating
- H730-1030mm x W900mm x D500mm
- 2 year guarantee

480 M3 Extraction rate

Built in light

3 Fan speeds

Ø 125 Ducting kit

55 dBA Noise level

3 AMP Supply needed

Lamona Black Chimney Extractor

Black 90cm LAM2543

Features
- Push button controls
- 2 x 28 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2906 required for re-circulating
- H660-1040mm x W900mm x D500mm
- 2 year guarantee

400 M3 Extraction rate

Built in light

3 Fan speeds

Ø 125 Ducting kit

58 dBA Noise level

3 AMP Supply needed

*Product dimensions include glass

Lamona Stainless Steel Standard Chimney Extractor

Stainless Steel 60cm HJA2450

Features
- Push button controls
- 2 x 40 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2904 required for re-circulating
- H660-940mm x W600mm x D475mm
- 2 year guarantee

234 M3 Extraction rate

Built in light

3 Fan speeds

Ø 125 Ducting kit

62 dBA Noise level

3 AMP Supply needed

Lamona Stainless Steel Standard Chimney Extractor

Stainless Steel 60cm HJA2480

Features
- Push button controls
- 2 x 40 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2908 required for re-circulating
- H563-933mm x W600mm x D475mm
- 2 year guarantee

270 M3 Extraction rate

Built in light

3 Fan speeds

Ø 125 Ducting kit

62 dBA Noise level

3 AMP Supply needed

Lamona Black Standard Chimney Extractor

Black 60cm LAM2401

Features
- Push button controls
- 2 x 40 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2908 required for re-circulating
- H563-933mm x W600mm x D475mm
- 2 year guarantee

270 M3 Extraction rate

Built in light

3 Fan speeds

Ø 125 Ducting kit

62 dBA Noise level

3 AMP Supply needed

Canopy Extractor

Lamona Canopy Extractor

Silver Grey 60cm HJA2339

Features
- 2 x 40 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2906 required for re-circulating
- H166mm x W520mm x D321mm
- 2 year guarantee

220 M3 Extraction rate
Built in light
3 Fan speeds
Ø 125 Ducting kit
55 dBA Noise level
3 AMP Supply needed

Integrated Extractors

Lamona Integrated Turbo Extractor

Silver Grey 60cm HJA2240

Features
- 1 x 40 watt light
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2906 required for re-circulating
- H395mm x W600mm x D282mm
- 2 year guarantee

399 M3 Extraction rate
Built in light
3 Fan speeds
Ø 125 Ducting kit
55 dBA Noise level
3 AMP Supply needed
Automatic fan

Lamona Integrated Extractor

Silver Grey 60cm HJA2230

Features
- 1 x 40 watt light
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2906 required for re-circulating
- H395mm x W600mm x D282mm
- 2 year guarantee

220 M3 Extraction rate
Built in light
3 Fan speeds
Ø 125 Ducting kit
55 dBA Noise level
3 AMP Supply needed
Automatic fan

Lamona Deluxe Conventional Extractor

Stainless Steel 60cm HJA2180

Features
- Push button controls
- 2 x 40 watt lights
- Washable grease filter
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2906 required for re-circulating
- H150mm x W600mm x D500mm
- 2 year guarantee

180 M3 Extraction rate

Built in light

3 Fan speeds

Ø 125 Ducting kit

55 dBA Noise level

3 AMP Supply needed

Lamona Conventional Extractor

White 60cm HJA2182

Features
- Slide control
- 2 x 40 watt lights
- Ducting kits APL2805/06 to duct out
- Carbon filter HJA2906 required for re-circulating
- H150mm x W600mm x D500mm
- 2 year guarantee

180 M3 Extraction rate

Built in light

3 Fan speeds

Ø 125 Ducting kit

55 dBA Noise level

3 AMP Supply needed

Lamona Conventional Extractor

Lamona Deluxe Conventional Extractor

Bosch Standard Chimney Extractor

Stainless Steel 60cm HAP2411

Features
- Slide controls
- 2 x 40 watt lights
- Washable grease filters
- Ducting kits APL2805/06 to duct out
- Carbon filter HAP2591 required for re-circulating
- H793-970mm x W600 x D500mm
- 2 year guarantee subject to registration with Bosch

340 M3 Extraction rate
Built in light
2 Fan speeds
Ø 125 Ducting kit
66 dBA Noise level
3 AMP Supply needed

Rangemaster Chimney Extractor

Stainless Steel 110cm HAP2560†

Features
- Slide control
- 2 x 28 watt lights
- Washable grease filters
- Ducting kits APL2805/06/07 to duct out
- Carbon filter HAP2907 required for re-circulating
- H735-1010mm x W1098mm x D490mm
- 2 year guarantee

480 M3 Extraction rate
Ø 125 Ducting kit
3 Fan speeds
Ø 150 Ducting kit
65 dBA Noise level
3 AMP Supply needed
Built in light

Rangemaster Chimney Extractor†

Bosch Standard Chimney Extractor

† Subject to availability

Filters and Ducting Kits

125mm rigid ducting kit **UK**	APL2805
125mm flexible ducting kit **UK**	APL2806
150mm flexible ducting kit **UK**	APL2807
125mm to 100mm ducting kit adaptor	GIR0500
Carbon filter for HJA2540, HJA2500, HJA2420, LAM2600, LAM2543 and HJA2600	HJA2900
Carbon filter for HJA2339, HJA2240, HJA2230, HJA2180 and HJA2182	HJA2906
Carbon filter for HJA2450	HJA2904
Carbon filter for HJA2490	HJA2905
Carbon filter for HJA2480 and LAM2401	HJA2908
Carbon filter for LAM2590, LAM2570, LAM2560, LAM2561 and LAM2562	LAM2900
Carbon filter for LAM2601 NEW	HJA2909
Carbon filter for HAP2411	HAP2591
Re-circulating kit for HAP2560	HAP2907†

Splashbacks

Toughened Clear Glass Splashbacks

W600mm x H705mm	ACS1412
W900mm x H705mm	ACS1432

Stainless Steel Splashbacks

W600mm x H705mm	APL2995
W900mm x H705mm	APL2996

Rangemaster

W1100mm x H670mm	HAP2160†

Black Steel Splashbacks

W600mm x H705mm	APL3990
W900mm x H705mm	APL3991

Toughened Coloured Glass Splashbacks

Black

W600mm x H705mm	HJA2811
W900mm x H705mm	HJA2814

White

W600mm x H705mm	HJA2810
W900mm x H705mm	HJA2813

Pewter

W600mm x H705mm	HJA2812
W900mm x H705mm	HJA2815

Lamona Chopping Board SJN5008* **UK**

Lamona Glass Worktop Saver SJN5333 **UK**

English Rose Trivet (220mm wide) GIR8125 **UK**

Scottish Thistle Trivet (220mm wide) GIR8115 **UK**

Welsh Dragon Trivet (220mm wide) GIR8120 **UK**

Worktop Hot Rods (Pack of 6) WOH0030

*Note: Natural wood products may vary slightly in tone † Subject to availability

Refrigeration Guide

Our integrated refrigeration range includes larder fridges, freezers, and combi fridge freezers. Features such as frost free and fast freeze are designed to save you time and provide optimum storage conditions. Drinks coolers provide the opportunity to create a feature from your cooling appliances.

Lamona Built-Under Integrated Freezer

Lamona Integrated Full-Height Larder Fridge and Freezer

Frost Free

Prevents the build up of frost and removes the need to defrost the freezer.

Fast Freeze



Rapidly freezes freshly prepared or recently purchased food, preventing the freezer temperature from rising too high.

Storage Period in Power Failure

12 hrs

The length of time in hours that food will be kept frozen before defrosting begins.

Ice Box Rating

Freezers are graded using a four star rating system, which specifies the minimum temperature and maximum storage time for freezing fresh food.

star rating	minimum temperature	maximum storage time
*	-6°C	1 week
**	-12°C	1 month
***	-18°C	3 months
****	-18°C	12 months

Temperature Warning Indicator

Warns if the temperature within the freezer rises.

Net Usable Capacity

128 ltrs

Fridge/freezer net storage capacity in litres.

Thermostatic Regulator

Varies the internal temperature.

Concealed Evaporator Plate

EVAP

For hygiene and easy cleaning.

CFC/HFC Free

All fridges and freezers are free from CFC and HFC gases which are harmful to the environment.

Energy Efficiency

A+ Energy Rating

Amperage Required

13 AMP Supply Needed



All energy ratings are shown within the individual product information.

All Lamona appliances come with a 2 year manufacturer's guarantee*

Products marked with this logo are designed to meet the requirements of Inclusive Kitchens

Products identified with this symbol have the Energy Saving Trust recommended certification mark

*2 year guarantee applies to Lamona appliances purchased from 5th September 2011.

Lamona Integrated Full-Height Larder Fridge

White LAM6700

Features
- Automatic defrost
- Electronic temperature adjustment
- 4 glass shelves
- 2 salad crispers
- Chrome wine rack
- Interior light
- Reversible door
- H1765mm x W540mm x D535mm
- 2 year guarantee

Hold your smartphone or tablet over the image to bring this fridge to life

Features	Fridge
CFC/HFC free	310 ltrs Fridge net usable capacity
A+ Energy rating	Thermostatic regulator
13 AMP Supply needed	EVAP Concealed evaporator plate
recommended	

Lamona Integrated Full-Height Freezer

White HJA6750

Features
- 8 compartments
- Reversible door
- H1765mm x W540mm x D535mm
- 2 year guarantee

Hold your smartphone or tablet over the image to bring this freezer to life

Features	Freezer
CFC/HFC free	196 ltrs Freezer net usable capacity
A+ Energy rating	Frost free
13 AMP Supply needed	Fast freeze
recommended	Ice box rating
	Temperature warning indicator
	15 hrs Storage in power failure

Lamona Integrated 70/30 Frost Free Fridge Freezer

White HJA6015

Features
- Reversible doors
- H1770mm x W540mm x D535mm
- 2 year guarantee

Fridge features
- Automatic defrost
- 3 glass shelves
- 2 salad crispers
- Chrome wine rack
- Interior light

Freezer features
- 3 compartments

Features	Fridge	Freezer
CFC/HFC free	189 ltrs Fridge net usable capacity	48 ltrs Freezer net usable capacity
A+ Energy rating	Thermostatic regulator	Frost free
13 AMP Supply needed	EVAP Concealed evaporator plate	Fast freeze
		Ice box rating
		13 hrs Storage in power failure

Lamona Integrated 70/30 Fridge Freezer

White LAM6800

Features
- Reversible doors
- H1770mm x W540mm x D535mm
- 2 year guarantee

Fridge features
- Automatic defrost
- 3 glass shelves
- 2 salad crispers
- Chrome wine rack
- Interior light

Freezer features
- 3 compartments

Features	Fridge	Freezer
CFC/HFC free	189 ltrs Fridge net usable capacity	55 ltrs Freezer net usable capacity
A+ Energy rating	Thermostatic regulator	Ice box rating
13 AMP Supply needed	EVAP Concealed evaporator plate	20 hrs Storage in power failure

Lamona Integrated 50/50 Frost Free Fridge Freezer

White HJA6856

Features
- Reversible doors
- H1770mm x W540mm x D535mm
- 2 year guarantee

Fridge features
- Automatic defrost
- 3 glass shelves
- 2 salad crispers
- Interior light

Freezer features
- 4 compartments

Features	Fridge	Freezer
CFC/HFC free	155 ltrs Fridge net usable capacity	62 ltrs Freezer net usable capacity
A+ Energy rating	Thermostatic regulator	Frost free
13 AMP Supply needed	EVAP Concealed evaporator plate	Fast freeze
recommended		Ice box rating
		13 hrs Storage in power failure

Lamona Integrated 50/50 Fridge Freezer

White HJA6853

Features
- Reversible doors
- H1770mm x W540mm x D535mm
- 2 year guarantee

Fridge features
- Automatic defrost
- 3 glass shelves
- 2 salad crispers
- Interior light

Freezer features
- 4 compartments

Features	Fridge	Freezer
CFC/HFC free	155 ltrs Fridge net usable capacity	69 ltrs Freezer net usable capacity
A+ Energy rating	Thermostatic regulator	Fast freeze
13 AMP Supply needed	EVAP Concealed evaporator plate	Ice box rating
recommended		14 hrs Storage in power failure

Integrated Tower Larder Fridge

White HAP6734

Features
- Automatic defrost
- 3 glass shelves
- 2 salad crispers
- Interior light
- Reversible door
- H873mm x W540mm X D545mm
- 1 year warranty

Features	Fridge
CFC/HFC free	155 ltrs Fridge net usable capacity
A+ Energy rating	Thermostatic regulator
13 AMP Supply needed	EVAP Concealed evaporator plate

Integrated Tower Freezer

White HAP6657

Features
- 4 compartments
- Visual alarm
- Reversible door
- H873mm x W540mm x D545mm
- 1 year warranty

Features	Freezer
CFC/HFC free	91 ltrs Freezer net usable capacity
A+ Energy rating	Fast freeze
13 AMP Supply needed	Ice box rating
	Temperature warning indicator
	16 hrs Storage in power failure

Lamona Built-Under Integrated Fridge

White HJA6132

Features
- Reversible door
- H813-870mm x W598mm x D545mm
- 2 year guarantee

Fridge features
- Automatic defrost
- 2 glass shelves
- 1 salad crisper
- Interior light

Freezer features
- 1 compartment
- Manual defrost

Features	Fridge	Freezer
CFC/HFC free	105 ltrs Fridge net usable capacity	18 ltrs Freezer net usable capacity
A+ Energy rating	Thermostatic regulator	Ice box rating
13 AMP Supply needed	EVAP Concealed evaporator plate	10 hrs Storage in power failure

Lamona Built-Under Integrated Larder Fridge

White HJA6312

Features
- Automatic defrost
- 3 glass shelves
- 1 salad crisper
- Interior light
- Reversible door
- H813-870mm x W598mm x D545mm
- 2 year guarantee

Features	Fridge
CFC/HFC free	128 ltrs Fridge net usable capacity
A+ Energy rating	Thermostatic regulator
13 AMP Supply needed	EVAP Concealed evaporator plate

Lamona Built-Under Integrated Freezer

White LAM6400

Features
- 3 compartments
- Visual alarm
- Reversible door
- H820-870mm x W598mm x D545mm
- 2 year guarantee

Features	Freezer
CFC/HFC free	87 ltrs Freezer net usable capacity
A+ Energy rating	Fast freeze
13 AMP Supply needed	Ice box rating
	Temperature warning indicator
recommended	19 hrs Storage in power failure

Lamona Built-Under Integrated Larder Fridge

Lamona Built-Under Integrated Freezer

Lamona 300mm Drinks Cooler

Stainless Steel 300mm LAM6911

Features
- 18 bottle capacity
- Suitable for red or white wine and soft drinks
- Adjustable feet
- Reversible door
- Interior light
- Single temperature range
- 5 - 22°C*
- LED display
- H870-890mm x W295mm x D570mm
- 2 year guarantee

CFC/HFC free

B
Energy rating

13 AMP
Supply needed

58 ltrs
Net usable capacity

Thermostatic regulator

EVAP
Concealed evaporator plate

Lamona 150mm Drinks Cooler

Stainless Steel 150mm LAM6901

Features
- 7 bottle capacity
- Suitable for red or white wine and soft drinks
- Maximum bottle width 80mm
- Adjustable feet
- Reversible door
- Interior light
- Single temperature range
- 8 - 18°C*
- LED display
- H870-890mm x W150mm x D525mm
- 2 year guarantee

CFC/HFC free

C
Energy rating

13 AMP
Supply needed

20 ltrs
Net usable capacity

Thermostatic regulator

Tower Refrigeration

BOSCH

Bosch Integrated 70/30 Fridge Freezer

White HAP6020

Features
- Reversible doors
- H1772mm x W514mm x D545mm
- 2 year guarantee subject to registration with Bosch

Fridge features
- Automatic defrost
- 4 glass shelves
- 1 salad crisper
- Interior light

Freezer features
- 3 compartments

Features	Fridge	Freezer
CFC/HFC free	219 ltrs Fridge net usable capacity	60 ltrs Freezer net usable capacity
A+ Energy rating	Thermostatic regulator	Ice box rating
13 AMP Supply needed	EVAP Concealed evaporator plate	13 hrs Storage in power failure

Bosch Built-Under Integrated Larder Fridge

White HAP6301

Features
- Automatic defrost
- 3 glass shelves
- 1 salad crisper
- Interior light
- Reversible door
- H820mm x W598mm x D548mm
- 2 year guarantee subject to registration with Bosch

Features	Fridge
CFC/HFC free	138 ltrs Fridge net usable capacity
A+ Energy rating	Thermostatic regulator
13 AMP Supply needed	EVAP Concealed evaporator plate

Bosch Built-Under Integrated Freezer

White HAP6401

Features
- 3 compartments
- Temperature gauge
- Visual and acoustic alarm
- Reversible door
- H820mm x W598mm x D548mm
- 2 year guarantee subject to registration with Bosch

Features	Freezer
CFC/HFC free	98 ltrs Freezer net usable capacity
A+ Energy rating	Fast freeze
13 AMP Supply needed	Ice box rating
	Temperature warning indicator
	24 hrs Storage in power failure

*Dependent on ambient room temperature

Dishwasher Guide

Our integrated dishwashers are all 'A' rated for energy consumption, and are available in standard and slimline widths. A range of programmes provide outstanding wash and dry results.

Capacity

Number of place settings. One place setting consists of a dinner plate, soup plate, dessert plate, glass tumbler, tea cup and saucer, knife, fork, soup spoon, dessert spoon and teaspoon.

Water Usage

Consumption of water in litres on normal wash programme.

Automatic Water Softener



Ensures the correct amount of salt is released for each load.

Watersafe Waterstop System

In the event of a leak, the water supply to the dishwasher is switched off automatically.

Noise Level

Noise level in decibels (dBA).

Top Cutlery Tray

Third unique loading level for cutlery/utensils located at the top of the dishwasher, freeing more space in the lower basket.

'Fast Click' Height Adjustable Basket



'Fast Click' uses a clip system to alter the height of the top basket.

Standard Height Adjustable Basket

To adjust the height, remove the whole basket.

Energy Efficiency

A Energy Rating

A Wash Rating

B Drying Rating

Amperage Required

13 AMP Supply Needed

Upper Basket Folding Racks

Folding upper basket racks to allow 2 tier stacking and greater flexibility.

Upper Basket Folding Tines

Tines can be folded down to create more space for glasses or mugs.

Lower Basket Folding Plate Tines

Support tines can be adjusted to accommodate larger items such as saucepans and large bowls.

Sliding Cutlery Basket

Feature designed to allow free placement of dishes according to size by moving the cutlery basket along the tines.

Plate Size Diameter (cm)

35

The maximum plate size in cm the dishwasher can hold.

Salt and Rinse Aid Warning Indicator

Warning indicator to show when dispensers need refilling. Rinse aid is released during the final hot rinse cycle to remove spots or streaks. Salt is added to soften water and prevent streaking caused by limescale.

Power Usage

1.05 kW/h

In kW/h on normal wash.

Energy/Wash/Drying Efficiency



All energy ratings are shown within the individual product information.

Products identified with this symbol have the Energy Saving Trust recommended certification mark

All Lamona appliances come with a 2 year manufacturer's guarantee*

*2 year guarantee applies to Lamona appliances purchased from 5th September 2011.

Lamona Eco Deluxe Fully Integrated Dishwasher

Stainless Steel LAM8670

Features
- 7 temperature settings
- Cold fill
- Start delay up to 9.5 hours
- Half load
- H865-911mm x W598mm x D548mm
- 2 year guarantee

8 programmes including:
- Rapid 30 minute programme
- Intensive wash
- Economy programme
- Auto sensing 40-65 degrees

Hold your smartphone or tablet over the image to bring this dishwasher to life



Lamona Deluxe Fully Integrated Dishwasher

White LAM8651

Features
- 5 temperature settings
- Cold fill
- Half load
- H865-911mm x W598mm x D548mm
- 2 year guarantee

5 programmes including:
- Rapid 30 minute programme
- Intensive wash
- Economy programme

Hold your smartphone or tablet over the image to bring this dishwasher to life



Lamona Fully Integrated Dishwasher

White LAM8601

Features
- 5 temperature settings
- Cold fill
- Half load
- H820-890mm x W598mm x D548mm
- 2 year guarantee

5 programmes including:
- Rapid 30 minute programme
- Intensive wash
- Economy programme

Hold your smartphone or tablet over the image to bring this dishwasher to life

LAMONA

Lamona Slimline Fully Integrated Dishwasher

White LAM8301

Features
- 5 temperature settings
- Cold fill
- H820-890mm x W448mm x D570mm
- 2 year guarantee

5 programmes including:
- Rapid 30 minute programme
- Intensive wash
- Economy programme

Hold your smartphone or tablet over the image to bring this dishwasher to life



BOSCH

Bosch Fully Integrated Dishwasher

Stainless Steel HAP8601

Features
- 5 temperature settings
- Cold fill
- Start delay up to 24 hours
- Load sensor
- Half load
- Child lock
- LED display panel
- H815mm-875mm x W598mm x D550mm
- 2 year guarantee subject to registration with Bosch

5 programmes including:
- Rapid 30 minute programme
- Intensive wash
- Economy programme

Hold your smartphone or tablet over the image to bring this dishwasher to life



Laundry Guide

Our range of integrated washing machines, washer dryers and tumble dryers meet all your laundry needs. Special features include an economy programme to save energy and water.

Washing

Wash/Dry Load

Maximum wash/dry capacity (kg).

Spin Speed

Measured in revolutions per minute (rpm). At a fast spin speed, more water is extracted from the wash load, reducing drying time and overall running cost.

Cold Fill



An energy efficient system. Only the water required for the washing is heated. There is no loss of heat in the pipeline from the hot water tank or boiler to the machine. This can also increase the efficiency of the enzymes within detergents.

Automatic Load Detection System

The washing machine is fitted with a sensor, enabling it to use the exact amount of water needed to wash and rinse in relation to the load, without compromising performance.

Energy/Wash/Drying Efficiency



All energy ratings are shown within the individual product information.

Amperage Required

13 AMP Supply Needed

Economy Programme

ECON A programme feature designed to reduce energy consumption.

Energy Efficiency

A Energy Rating

A Wash Rating

B Spin Drying Rating

All Lamona appliances and a selection of unbranded appliances come with a 2 year manufacturer's guarantee*

Products identified with this symbol are manufactured in the UK

Child Lock

This safety feature prevents unwanted changes to appliance settings

Drying

Vented



A vented dryer removes the damp air produced during drying and pumps it outside the home through a vent. This is done through a plastic hose which can either be permanently fitted to an outside wall or simply hung out of a window.

Condenser Dryer

Does not require a vent. Condenses and pumps water through waste pipe or separate pull-out tray.

Filter

To allow the dryer to operate efficiently, the filter should be cleaned after each drying cycle by hand or with a soft brush. The filter should be washed occasionally in detergent solution to remove small particles.

Washing Programmes

Woolmark

A programme dedicated to washing fabrics labelled with the Woolmark logo. This is to ensure that these garments are cleaned appropriately and keep their shape.

Delicate Fabrics



Use this option to wash very delicate, less robust fabrics such as satin and lace.

Mixed and Synthetic Fabrics

Washes mixed fabrics and colours safely.

Hand Wash

The machine has a programme specifically designed for hand wash only marked items.

Rapid Minute Programme

This is a useful time-saving quick wash cycle (wash, rinse and spin) of lightly soiled items. Only suitable for a small load.

*2 year guarantee applies to Lamona appliances purchased from 5th September 2011.

Washer Dryers

1400rpm Integrated Washer Dryer

White 1400rpm HJA8701

Features
- Start delay up to 24 hours
- Audible alarm
- LED display
- H820-840mm x W596mm x D560mm
- 2 year guarantee

12 wash programmes including:
- Mixed and synthetic fabrics
- Delicate fabrics
- Woolmark certified programme
- Rapid 15 minute programme (2kg load)
- Reduced ironing
- Intensive dry
- Gentle dry
- Self clean



Washing Machines

1600rpm Integrated Washing Machine

White 1600rpm HJA8511

Features
- Start delay up to 24 hours
- Audible alarm
- LCD display
- H815-837mm x W600mm x D540mm
- 2 year guarantee

16 wash programmes including:
- Mixed and synthetic fabrics
- Delicate fabrics
- Intensive (babycare and allergy sufferers)
- Rapid 14 minute programme (2kg load)
- Hand wash
- Dark care
- Self clean



Washing Machines

1400rpm Integrated Washing Machine

White 1400rpm HJA8501

Features
- Start delay up to 24 hours
- Audible alarm
- LCD display
- H815-837mm x W600mm x D540mm
- 2 year guarantee

16 wash programmes including:
- Mixed and synthetic fabrics
- Delicate fabrics
- Intensive (babycare and allergy sufferers)
- Rapid 14 minute programme (2kg load)
- Hand wash
- Dark care
- Self clean

7 kg — Wash load

Automatic load detection system

A — Wash rating

1400 — Spin speed RPM

Child lock

B — Spin drying rating

ECON — Economy programme

13 AMP — Supply needed

C — Cold fill

A+ — Energy rating

Tumble Dryer

LAMONA

Lamona Integrated Tumble Dryer

White HJA8800

Features
- 140 minute timer
- 2 heat settings
- Fully integrated vent hose
- Exterior wall cowling
- Final cool tumble
- Reduced ironing
- H865-890mm x W596mm x D530mm
- 2 year guarantee

6 kg — Drying load

13 AMP — Supply needed

C — Energy rating

UK MANUFACTURED

Washer Dryer

Bosch Integrated Washer Dryer

White 1400rpm HAP8700

Features
- LED display
- Start delay up to 24 hours
- Reduced ironing
- Audible alarm
- H820-845mm x W595mm x D555mm
- 2 year guarantee subject to registration with Bosch

15 wash programmes including:
- Mixed and synthetic fabrics
- Delicate fabrics
- Woolmark certified programme
- Rapid 49 minute programme (3kg load)
- Hand wash



Washing Machine

Bosch Integrated Washing Machine

White 1200rpm HAP8510

Features
- Reduced ironing
- Audible alarm
- H818-870mm x W600mm x D555mm
- 2 year guarantee subject to registration with Bosch

15 wash programmes including:
- Mixed and synthetic fabrics
- Delicate fabrics
- Woolmark certified programme
- Rapid 45 minute programme (3.5kg load)
- Hand wash



Freestanding Appliances

In addition to integrated appliances, Howdens also offer a range of freestanding appliances, including a cooker, microwave ovens, dishwashers, refrigeration and laundry appliances, all of which are portable and affordable.

Burford White

Freestanding Microwave

Single Cavity Gas Cooker†

60/40 Fridge Freezer

Shallow Depth Washing Machine

† Subject to availability

Freestanding Cooker

Single Cavity Gas Cooker†

White 50cm FHJ3012

Features
- Cooking functions: gas cooking and fixed gas grill
- LPG convertible
- Open door grilling with heat shield attachment
- 4 burners: 1 rapid, 2 semi-rapid and 1 simmer
- Stability chain
- Adjustable feet for levelling
- H900mm x W500mm x D600mm
- 1 year warranty

Gas cooking | Flame failure device | 2.0 1.0 2.0 2.9 kW

Gas grilling | 48 ltrs Oven net usable capacity | 13 AMP Supply needed

Freestanding Microwave Ovens

Freestanding Duo Microwave

Stainless Steel FHJ7000

Features
- 3 microwave functions: auto cook, easy cook and defrost
- 4 automatic cooking menus
- 5 power levels up to 800W
- Shelf for two tier cooking
- LED programmable clock/timer
- H279mm x W465mm x D360mm
- 1 year warranty

Defrosting | Child lock | 13 AMP Supply needed

20 ltrs Oven net usable capacity | 800 W Microwave wattage

Freestanding Microwave

White FHJ7010

Features
- 3 microwave functions: auto cook, 1-touch cooking and defrost
- 5 automatic cooking menus
- 10 power levels up to 700W
- LED programmable clock/timer
- H270mm x W446mm x D331mm
- 1 year warranty

Defrosting | Child lock | 13 AMP Supply needed

20 ltrs Oven net usable capacity | 700 W Microwave wattage

60/40 Fridge Freezer

White 55cm FHJ6613

Features
- Reversible doors
- H1720mm x W545mm x D600mm
- 1 year warranty

Fridge features
- Automatic defrost
- 3 glass shelves
- 1 salad crisper
- Interior light

Freezer features
- 3 compartments

Features	Fridge	Freezer
CFC/HFC free	176 ltrs Fridge net usable capacity	71 ltrs Freezer net usable capacity
Energy rating	Thermostatic regulator	Fast freeze
13 AMP Supply needed	EVAP Concealed evaporator plate	Ice box rating
		18 hrs Storage in power failure

Under Counter Fridge

White 50cm FHJ6104

Features
- Reversible door
- H838mm x W480mm x D560mm
- 1 year warranty

Fridge features
- Automatic defrost
- Egg shelf
- 1 glass shelf
- 1 salad crisper
- Interior light

Freezer features
- 1 compartment
- Manual defrost

Features	Fridge	Freezer
CFC/HFC free	73 ltrs Fridge net usable capacity	8 ltrs Freezer net usable capacity
Energy rating	Thermostatic regulator	Ice box rating
13 AMP Supply needed	EVAP Concealed evaporator plate	

BOSCH

Bosch Under Counter Larder Fridge

White 60cm FHJ6134

Features
- Automatic defrost
- 3 glass shelves
- 2 salad crispers
- Mini bottle rack
- Interior light
- Reversible door
- H850mm x W600mm x D612mm
- 2 year guarantee subject to registration with Bosch

Features	Fridge
CFC/HFC free	152 ltrs Fridge net usable capacity
Energy rating	Thermostatic regulator
13 AMP Supply needed	EVAP Concealed evaporator plate

† Subject to availability

Bosch Dishwasher

White 60cm FHJ8635

Features
- 4 temperature settings
- Cold fill
- Start delay up to 24 hours
- H845mm x W600mm x D600mm
- 2 year guarantee subject to registration with Bosch

4 programmes including:
- Rapid 30 minute programme
- Economy programme



Dishwasher

White 60cm FHJ8603

Features
- 4 temperature settings
- Cold fill
- Programme progress indicator light
- H850mm x W598mm x D570mm
- 1 year warranty

5 programmes including:
- Rapid 30 minute programme
- Intensive wash
- Economy programme



Bosch Washing Machine
White 1200rpm, 60cm FHJ8535

Features
- LED programme progress display
- Start delay up to 24 hours
- Reduced ironing
- Audible alarm
- H847mm x W600mm x D590mm
- 2 year guarantee subject to registration with Bosch

15 wash programmes including:
- Woolmark certified programme
- Delicate fabrics
- Mixed and synthetic fabrics
- Rapid 15 minute programme (2kg load)



Shallow Depth Washing Machine
White 1000rpm, 60cm FHJ8503

Features
- Half load option
- Start delay up to 9 hours
- H840mm x W600mm x D450mm
- 1 year warranty

15 wash programmes including:
- Mixed and synthetic fabrics
- Delicate fabrics
- Rapid 28 minute programme (5kg load)
- Hand wash



Sink Guide

We offer an extensive range of sinks including contemporary and traditional styles, stainless steel, ceramic and composite finishes. All our sinks are manufactured and tested to European Standards BS EN 13310:2003.

Lamona Black Granite Composite 1.5 Bowl Sink

Lamona Round Bowl Sink and Drainer

Lamona Ceramic Single Bowl Sink

Cabinet Size

Minimum cabinet size 450mm

Minimum cabinet size 500mm

Minimum cabinet size 600mm

Minimum cabinet size 800mm

Minimum cabinet size 1000mm

Belfast sink base

Waste Disposal

Compatible with waste disposal unit

Products marked with this logo are compatible with waste disposal units.

Products marked with this logo are designed to meet the requirements of Inclusive Kitchens

Products identified with this symbol or **UK** are manufactured in the UK

All our sinks are made from the highest grade 18/10 stainless steel.

Lamona Windermere 1.5 Bowl Sink

L-1025mm x W-510mm	
L/H Drainer	SNK6031
R/H Drainer	SNK6036
Sink accessories pack	SJN5210

600 Cabinet Min 600

Compatible with waste disposal unit

Lamona Windermere Single Bowl Sink

L-850mm x W-510mm	
L/H Drainer	SNK6021
R/H Drainer	SNK6026
Sink accessories pack	SJN5220

500 Cabinet Min 500

Compatible with waste disposal unit

Lamona Ullswater 1.5 Bowl Sink

L-985mm x W-508mm	
L/H Drainer	SNK5230 **UK**
R/H Drainer	SNK5220 **UK**
Sink accessories pack	SJN5201 **UK**

600 Cabinet Min 600

Compatible with waste disposal unit



Lamona Ullswater Single Bowl Sink

L-985mm x W-508mm	
L/H Drainer	SNK5213 **UK**
R/H Drainer	SNK5203 **UK**
Sink accessories pack	SJN5202 **UK**

600 Cabinet Min 600

Compatible with waste disposal unit

Lamona Belmont 1.5 Bowl Sink

L-985mm x W-508mm	
L/H Drainer	SNK6011 **UK**
R/H Drainer	SNK6016 **UK**
Sink accessories pack	SJN5310 **UK**

600 Cabinet Min 600

Compatible with waste disposal unit

Lamona Belmont Single Bowl Sink

L-985mm x W-508mm	
L/H Drainer	SNK6001 **UK**
R/H Drainer	SNK6006 **UK**
Sink accessories pack	SJN5320 **UK**

600 Cabinet Min 600

Compatible with waste disposal unit

Lamona Rutland 1.5 Bowl Sink

L-985mm x W-508mm

Reversible	SNK5214 **UK**
Sink accessories pack	SJN5100 **UK**

600 Cabinet Min 600

Compatible with waste disposal unit

Lamona Rutland Single Bowl Sink

L-985mm x W-508mm

Reversible	SNK5122 **UK**
Sink accessories pack	SJN5101 **UK**

600 Cabinet Min 600

Compatible with waste disposal unit

Lamona Ashworth 1.5 Bowl Sink

L-950mm x W-508mm

Reversible	SNK5161 **UK**
Sink accessories pack	SJN5410

600 Cabinet Min 600

Compatible with waste disposal unit

Lamona Ashworth Single Bowl Sink

L-950mm x W-508mm

Reversible	SNK5151 **UK**
Sink accessories pack	SJN5420

450 Cabinet Min 450

Compatible with waste disposal unit

Lamona BS 1.5 Bowl Sink

L-965mm x W-500mm

Reversible	SNK5131

600 Cabinet Min 600

Compatible with waste disposal unit

Lamona Single Bowl Sink (1 tap hole)

L-1000mm x W-510mm

Reversible	SNK5111

600 Cabinet Min 600

Compatible with waste disposal unit

Lamona Compact Single Bowl Sink

L-800mm x W-508mm

Reversible	SNK6551 **UK**

Cabinet Min 500

Compatible with waste disposal unit

Lamona Single Bowl Sink

L-965mm x W-500mm

Reversible	SNK5121

Cabinet Min 600

Lamona Single Bowl Sink

L-950mm x W-508mm

Reversible	SNK5141

Cabinet Min 600

Lamona Drayton Single Bowl Sink

L-950mm x W-508mm

Reversible	SNK5170

Cabinet Min 500

Lamona Shallow Single Bowl Sink

L-950mm x W-508mm

L/H Drainer	SNK0037
R/H Drainer	SNK0038

Cabinet Min 500

Lamona BS1244 Single Bowl Sink (2 tap holes)

L-940mm x W-485mm

L/H Drainer	SNK0070
R/H Drainer	SNK0080

Cabinet Min 500

Lamona Single Bowl Sink (2 tap holes)

L-950mm x W-508mm	
L/H Drainer	SNK0027 **UK**
R/H Drainer	SNK0028 **UK**

Lamona Sit-on Single Bowl Sink (2 tap holes)

L-1000mm x W-500mm	
L/H Drainer	SNK0042*1 **UK**
R/H Drainer	SNK0032*1 **UK**
L-1000mm x W-600mm	
L/H Drainer	SNK0052*1 **UK**
R/H Drainer	SNK0062*1 **UK**

Lamona Round Bowl Sink and Drainer

Diameter 450mm	
Bowl	SNK1421
Drainer	SNK1428

Lamona Single Bowl Sink (2 tap holes)

L-940mm x W-485mm	
L/H Drainer	SNK0410
R/H Drainer	SNK0400

Lamona Round Bowl Sink with Drainer

L-900mm x W-480mm	
Reversible	SNK6041
Sink accessories pack	SJN5013

Lamona Single Square Bowl Sink

L-452mm x W-433mm	
Bowl	SNK1441

Lamona Undermount 1.5 Bowl Sink[*2]

L-615mm x W-480mm

Reversible SNK5900

Cabinet Min 600

Compatible with waste disposal unit

Lamona Undermount Single Bowl Sink[*2]

L-494mm x W-464mm

Bowl SNK4921

Cabinet Min 600

Compatible with waste disposal unit

Ceramic

Our fireclay ceramic sinks have non-porous smooth surfaces and are largely resistant to stains.

Lamona Ceramic 1.5 Bowl Sink

L-1010mm x W-525mm

Reversible SNK0302

Cabinet Min 800

Compatible with waste disposal unit

Lamona Ceramic Single Bowl Sink

L-1015mm x W-525mm

Reversible SNK1012

Cabinet Min 600

Compatible with waste disposal unit

Lamona Ceramic 1.5 Bowl Undermount Sink[*2*3]

L-544mm x W-440mm

R/H SNK5631

Cabinet Min 600

Compatible with waste disposal unit

Lamona White Ceramic Belfast Sink[*2]

L-595mm x W-455mm x D-250mm

Reversible SNK1021

Belfast sink base

*[1]Not suitable for 600mm or 800mm base cabinets. *[2]Not suitable for laminate worktops. Additional treatment required for use with timber. Further details available on request.
*[3]Waste disposal unit only suitable for main bowl.

Made using granite and technically advanced polymers, our composite sinks are highly resistant to impact and scratching.

Lamona Cream Granite Composite 1.5 Bowl Sink

L-1000mm x W-500mm
Reversible SNK2157

600 Cabinet Min 600

Compatible with waste disposal unit

Lamona Cream Granite Composite Single Bowl Sink

L-860mm x W-500mm
Reversible SNK2107

450 Cabinet Min 450

Compatible with waste disposal unit

Lamona Black Granite Composite 1.5 Bowl Sink

L-1000mm x W-500mm
Reversible SNK2154

600 Cabinet Min 600

Compatible with waste disposal unit

Lamona Black Granite Composite Single Bowl Sink

L-860mm x W-500mm
Reversible SNK2104

450 Cabinet Min 450

Compatible with waste disposal unit

Lamona White Granite Composite 1.5 Bowl Undermount Sink[*1] [*2]

L-555mm x W-460mm
R/H SNK2113

600 Cabinet Min 600

Compatible with waste disposal unit

Lamona Cream Granite Composite 1.5 Bowl Undermount Sink[*1] [*2]

L-555mm x W-460mm
R/H SNK2117

600 Cabinet Min 600

Compatible with waste disposal unit

Plumbing Kits

Use Space-Saver Plumbing Kits with Easy Fit Sink Base Units to enjoy a number of benefits, including improved storage, easy fitting/removal of the unit when a sink is already in situ, and improved aesthetic of fitted units.

Standard Plumbing Kits

Suitable for single bowl sinks	PLU1000
Suitable for 1.5 bowl sinks	PLU2000

Space-Saver Plumbing Kits

Suitable for single bowl sinks	PLU5000
Suitable for 1.5 bowl sinks	PLU6000

Flexible Plumbing Kit

Suitable for use with rise and fall systems when used with our single bowl sinks	PLU3000

Waste Kits

All sinks are provided with waste kits.

Waste Disposal

Deluxe Waste Disposal Unit WDU8920

Features
- 405 watt appliance input power
- 1425rpm motor speed
- Continuous feed
- Auto reverse grinding
- Built-in air switch
- 20% quieter than standard model
- Stainless steel stopper
- Removable splash guard
- 4 year warranty
- Will fit all our sinks with an aperture of 90mm

13 AMP
Supply needed

Waste Disposal Unit WDU8910

Features
- 370 watt appliance input power
- 1425rpm motor speed
- Continuous feed
- Standard grind chamber
- Plastic stopper
- Fixed splash guard
- 2 year warranty
- Will fit all our sinks with an aperture of 90mm

13 AMP
Supply needed

*[1]Not suitable for laminate worktops. Additional treatment required for use with timber. Further details available on request.
*[2]Waste disposal unit only suitable for main bowl.

Tap Guide

Our extensive range of taps will add the finishing touch to your sink area. With both traditional and modern styles, you will be sure to find the ideal blend of design and functionality.

Lamona branded taps are exclusive to Howdens Joinery and come with a 12 month guarantee. This means your trade professional is assured of local stock and availability, along with great functionality, reliability and the reassurance of high quality products to suit your Howdens kitchen.

All Lamona taps comply with the Water Supply (Water Fittings) Regulations 1999.

Lamona Chrome Lever Deck Mixer Tap

Lamona Chrome Lugano Monobloc Tap

Lamona Chrome Cubic Single Lever Tap

MIN BAR 1.5
MAX BAR 5.5

Water Pressure
Minimum and maximum water pressure

Dual Flow
Cold water passes through the outer tube and hot water through the inner tube

Single Flow
Hot and cold water is mixed together in the body of the tap

Products marked with this logo are designed to meet the requirements of Inclusive Kitchens

Products identified with this symbol or **UK** are manufactured in the UK.

Lamona Chrome Professional Style Single Lever Tap

Chrome TAP9155

Recommended for high pressure water systems only

MIN BAR 1.5 MAX BAR 5.5

Single Flow

Lamona Chrome Lecco Single Lever Tap

Chrome TAP2481

Recommended for high pressure water systems only

MIN BAR 0.5 MAX BAR 5.5

Single Flow

Lamona Chrome Laveno Single Lever Tap

Chrome TAP2482

Recommended for high pressure water systems only

MIN BAR 0.5 MAX BAR 5.5

Single Flow

Lamona Chrome Pull-Out Spray Single Lever Tap

Chrome TAP2494

Recommended for high pressure water systems only

MIN BAR 1.5 MAX BAR 5.5

Single Flow

Lamona Chrome Cubic Single Lever Tap

Chrome TAP9101

Recommended for high pressure water systems only

MIN BAR 0.5 MAX BAR 5.5

Single Flow

Lamona Chrome Atomix Single Lever Tap

Chrome TAP2432

MIN BAR 0.3 MAX BAR 5.5

Single Flow

Monobloc Taps

Lamona Chrome Como Monobloc Tap

Chrome TAP3581

MIN BAR 0.4 MAX BAR 5.5

Single Flow

Lamona Chrome Garda Swan Neck Filter Monobloc Tap

Chrome TAP1130

MIN BAR 0.3 MAX BAR 5.5

Hot and cold

MIN BAR 0.75 MAX BAR 5.5

Filter

Dual Flow

Lamona Chrome Garda Swan Neck Monobloc Tap

Chrome TAP3521

MIN BAR 0.3 MAX BAR 5.5

Dual Flow

Lamona Brushed Steel Effect Garda Swan Neck Monobloc Tap

Brushed Steel Effect TAP3531

MIN BAR 0.3 MAX BAR 5.5

Dual Flow

Lamona Chrome Professional Style Monobloc Tap

Chrome TAP9157

MIN BAR 0.4 MAX BAR 5.5

Single Flow

Lamona Chrome Arona Monobloc Tap

Chrome TAP9103

MIN BAR 0.5 MAX BAR 5.5

Single Flow

Lamona Chrome Sorico Monobloc Tap

Chrome TAP3582

MIN BAR 0.4 MAX BAR 5.5

Single Flow

Lamona Chrome Orta Swan Neck Monobloc Tap

Chrome TAP4132

MIN BAR 0.3 MAX BAR 5.5

Dual Flow

Lamona Chrome Lugano Monobloc Tap

Chrome TAP3590

MIN BAR 0.3 MAX BAR 5.5

Single Flow

Lamona Antique Pewter Style Monobloc Tap

Pewter Effect TAP3812

MIN BAR 0.3 MAX BAR 5.5

Single Flow

Lamona Black and Chrome Swan Neck Monobloc Tap

Black and Chrome TAP3630

MIN BAR 0.3 MAX BAR 5.5

Dual Flow

Lamona Chrome Victorian Swan Neck Monobloc Tap

Chrome TAP4802

MIN BAR 0.3 MAX BAR 5.5

Dual Flow

Lamona Chrome Rhone Swan Neck Monobloc Tap

Chrome TAP3456

MIN BAR 0.3 MAX BAR 5.5 Dual Flow

Lamona Chrome Hi-Tech Monobloc Tap

Chrome TAP3407

MIN BAR 0.2 MAX BAR 5.5 Dual Flow

Lamona Brushed Steel Effect Hi-Tech Monobloc Tap

Brushed Steel Effect TAP3497

MIN BAR 0.2 MAX BAR 5.5 Dual Flow

Lamona Chrome Monobloc Tap

Chrome TAP9003

MIN BAR 0.2 MAX BAR 5.5 Dual Flow

Lamona Chrome Effect Monobloc Tap

Chrome Effect TAP3303

MIN BAR 0.2 MAX BAR 5.5 Dual Flow

Bridge Tap

Lamona Chrome Victorian Bridge Tap

Chrome TAP4810

MIN BAR 0.3 MAX BAR 5.5 Single Flow

Deck Mixer Taps

Lamona Chrome Lever Deck Mixer Tap

Chrome TAP9023

MIN BAR 0.1 MAX BAR 5.5 Dual Flow

Lamona Chrome Deck Mixer Tap

Chrome TAP2104

MIN BAR 0.1 MAX BAR 5.5 Dual Flow

Pillar Taps

Pegler Chrome Lever Pillar Taps
BS1224, BS5412

Chrome TAP9050 **UK**

MIN BAR 0.1 MAX BAR 6

Single Flow

Lamona Chrome Lever Pillar Taps

Chrome TAP9013

MIN BAR 0.1 MAX BAR 5.5

Single Flow

Pegler Chrome Cross-Head Pillar Taps
BS1224, BS5412

Chrome TAP9030 **UK**

MIN BAR 0.1 MAX BAR 1.0

Single Flow

Cross-Head Pillar Taps
BS1224, BS5412

Chrome TAP9005

MIN BAR 0.1 MAX BAR 10

Single Flow

Lamona Chrome Pillar Taps

Chrome TAP1118

MIN BAR 0.1 MAX BAR 5.5

Single Flow

Pegler Chrome Lever Pillar Taps

Tap Accessories

Tap Brace SNK4000

Tap Flow Restrictors

Copper Tail TAP0017

Flexi Tail TAP0018

Howdens Appliance Service

All Lamona appliances come with a 2 year manufacturer's guarantee. All Lamona ovens also include a 5 year guarantee on door glass.

Glen Dimplex Home Appliances (GDHA) are the nominated guarantee repair service provider for Lamona appliances. GDHA were awarded the Domestic and General's Total Excellence and Quality Customer Care Award three years in a row. The service includes:

- On hand operators to answer your call every day, except Christmas Day and Easter Sunday
- Calls to the service centre answered within 10 seconds
- Appointments to undertake functional repairs within two days of a call
- Fully trained engineers to ensure you receive fast and reliable service

Lamona appliances are manufactured to the highest standards, however should you require further support please contact:

GDHA
0845 006 0006

For all non-Lamona branded appliances, please refer to the below contact details list:

Beko (Howdens Joinery Customer Direct Line)
0845 600 4910

Bosch
0844 892 8979

Daewoo
0800 408 9102

InSinkErator (Waste Disposal Units)
0800 389 3715

Leisure
0845 600 4921

Rangemaster
0845 603 5312

Lamona Integrated Microwave & Grill

Lamona Deluxe Fully Integrated Dishwasher

Lamona Electric Hob

Lamona Built-Under Integrated Larder Fridge

Oven
Comparison Guide

The below comparison guide can be used to compare the features and energy ratings for each oven.

Key Guide

Single Ovens					
LAM3600 **Lamona Single Multi-Function Oven**	LAM3400 **Lamona Single Fan Oven**	LAM3401 **Lamona Single Fan Oven**	LAM3402 **Lamona White Single Fan Oven**	LAM3403 **Lamona Black Single Fan Oven**	LAM3301 **Lamona Single Fan Assisted Oven**
Conventional Cooking - Uses heat from elements located in the top and bottom of the oven.	✓					✓
Fan Assisted Cooking - Circulates the heat generated by upper and lower heating elements.	✓					✓
True Fan Cooking - The heating element is located around the fan for better heat circulation.	✓	✓	✓	✓	✓	
Cooking with Lower Heating Element - The lower heating element is used independently to give concentrated lower heat, helping ensure food is cooked right through.	✓					✓
Cooking with Upper Heating Element - The upper heating element is used independently to give concentrated top heat. It is advisable to use this facility for no more than 15 minutes, towards the end of cooking.						
Grilling - Choices include variable (adjustable power level) or fixed (adjustable shelf position), and on some products the option to use half the grill for small meals (dual zone).	✓	✓	✓	✓	✓	✓
Fan Grilling - The grill element browns food and seals in the juices, while the fan circulates heat evenly. As it needs lower temperatures, it is more economical.	✓	✓	✓	✓	✓	✓
Rapid Heat - Significantly reduces pre-heating times by rapidly heating the oven to the required temperature. Once the temperature is reached, the oven can be turned to the desired function for cooking.	✓					✓
Defrosting - Using the fan without heat circulates air around frozen food. It is more hygienic than leaving frozen food out to defrost over a long period of time.	✓	✓	✓	✓	✓	
Telescopic Runners - Telescopic shelf rails are fitted with bearings for smooth and stable running. Food can be accessed without removal from the oven.	✓					
Oven Net Usable Capacity - Oven capacity in litres.	65 ltrs	65	65	65	65	65	65
Energy Efficiency - Energy rating	A	A	A	A	A	A	A
Amperage Required - Supply needed	13 AMP	13	13	13	13	13	13
Child Lock - This safety feature prevents the oven from being switched on accidentally.						

*Oven capacity to EN50304

Single Ovens

LAM3204 **Lamona Single Conventional Oven**	LAM3201 **Lamona Single Conventional Oven**	LAM3205 **Lamona Single Conventional Oven**	LAM3206 **Lamona Single Conventional Oven**	HAP3331 **Bosch Single Fan Oven**	HAP3300 **Bosch Standard Single Fan Oven**	HAP3501 HAP3502 **Side Opening Single Fan Oven**
✓	✓	✓	✓			
				✓	✓	✓
✓	✓	✓	✓			
✓	✓	✓	✓	✓	✓	✓
				✓	✓	✓
				✓	✓	✓
						✓
65	65	65	65	67*	67*	65
A	A	A	A	A	A	A
13	13	13	13	13	13	13
				✓	✓	✓

Oven
Comparison Guide

The below comparison guide can be used to compare the features and energy ratings for each oven.

Key Guide

Double Ovens

LAM4601
Lamona Double Fan Oven

LAM4401
Lamona Built-Under Double Fan Oven

HAP4500
Bosch Built-Under Double Fan Oven

HAP4330
Bosch Double Fan Oven

	LAM4601 TOP	LAM4601 MAIN	LAM4401 TOP	LAM4401 MAIN	HAP4500 TOP	HAP4500 MAIN	HAP4330 TOP	HAP4330 MAIN
Conventional Cooking - Uses heat from elements located in the top and bottom of the oven.	✓		✓		✓		✓	
Fan Assisted Cooking - Circulates the heat generated by upper and lower heating elements.								
True Fan Cooking - The heating element is located around the fan for better heat circulation.		✓		✓		✓		✓
Cooking with Lower Heating Element - The lower heating element is used independently to give concentrated lower heat, helping ensure food is cooked right through.	✓		✓					
Cooking with Upper Heating Element - The upper heating element is used independently to give concentrated top heat. It is advisable to use this facility for no more than 15 minutes, towards the end of cooking.								
Grilling - Choices include variable (adjustable power level) or fixed (adjustable shelf position), and on some products the option to use half the grill for small meals (dual zone).	✓		✓		✓		✓	
Fan Grilling - The grill element browns food and seals in the juices, while the fan circulates heat evenly. As it needs lower temperatures, it is more economical.								
Rapid Heat - Significantly reduces pre-heating times by rapidly heating the oven to the required temperature. Once the temperature is reached, the oven can be turned to the desired function for cooking.								
Defrosting - Using the fan without heat circulates air around frozen food. It is more hygienic than leaving frozen food out to defrost over a long period of time.		✓		✓		✓		✓
Flame Failure Device - Part of the gas burner system that detects if the flame is extinguished and cuts off the gas supply.								
Telescopic Runners - Telescopic shelf rails are fitted with bearings for smooth and stable running. Food can be accessed without removal from the oven.								
Oven Net Usable Capacity - Oven capacity in litres.	35	65	33	45	35*	56*	35*	71*
Energy Efficiency - Energy rating	A	A	B	A	A	A	B	A
Amperage Required - Supply needed	20	20	20	20	20	20	20	20
Child Lock - This safety feature prevents the oven from being switched on accidentally.						✓		✓

*Oven capacity to EN50304

Range Cookers

LAM5100
Lamona Range Cooker

HJA5093
Leisure Range Cooker

HAP5200
Rangemaster Range Cooker

TOP LEFT GRILL	BOTTOM LEFT OVEN	RIGHT OVEN	TOP LEFT OVEN	BOTTOM LEFT OVEN	RIGHT OVEN	TOP LEFT GRILL	BOTTOM LEFT OVEN	RIGHT OVEN
			✓	✓			✓	
				✓				
	✓	✓		✓	✓			✓
				✓				
				✓			✓	
✓			✓	✓		✓		
	✓	✓		✓	✓			
(Hob)			**(Hob)**			**(Hob)**		
			✓	✓				
	45	66	27	46	66		67	67
	A	A	B	A	A		A	A
32	32	32	30	30	30	32	32	32

Hob
Comparison Guide

The below comparison guide can be used to compare the features and power rating for each hob.

Key Guide

Gas Hobs					
LAM1180 **Lamona Professional 5 Burner Gas Hob**	LAM1160 **Lamona Professional Gas Hob**	LAM1001 **Lamona Gas Hob**	LAM1000 **Lamona Enamel Gas Hob**	LAM1003 **Lamona Enamel Gas Hob**	HAP1170 **Bosch 5 Burner Gas Hob**
Automatic Ignition - The burner is automatically ignited at the turn of a knob.	✓	✓				✓
Flame Failure Device - Part of the gas burner system that detects if the flame is extinguished and cuts off the gas supply.	✓	✓	✓	✓	✓	✓
Booster - This facility enables water to be brought to the boil quickly and efficiently. The selected cooking zone heats to maximum power for a period of time before automatically dropping to a lower power setting.						
Timer - The cooking zone automatically switches off once the cooking time has come to an end.						
Hi-lite Cooking Element - Heats up in less than five seconds.						
Residual Heat Indicator - Warns that hobs are hot even after turning off.						
Hob On Indicator - Shows the hobs are on for safety warning.						
Flush Fitting Design - Hob reaches only 5mm above the worktop for attractive lines.						
Power Rating - The power consumption of each burner/ plate in kilowatts (kW).	2.9 / 1.0 | 3.6 | 2.0 / 2.0	2.9 / 1.0 | 2.0 / 2.0	2.0 / 2.9 | 2.0 / 1.0	2.0 / 2.9 | 2.0 / 1.0	2.0 / 2.9 | 2.0 / 1.0	1.7 / 1.0 | 4.0 | 3.0 / 1.7
Child Lock - This safety feature prevents the hob from being switched on accidentally.						
Amperage Required - Supply needed	3 AMP	3 AMP	3 AMP	3 AMP	3 AMP	3 AMP
Energy Saving Trust Recommended	✓	✓	✓	✓	✓	

Gas Hobs

Ceramic Hobs

Electric Hobs

HAP1160 **Bosch Gas Hob**	HAP1141 **Bosch Standard Gas Hob**	LAM1761 **Lamona Induction Hob**	LAM1741 **Lamona Front Touch Control Ceramic Hob**	LAM1701 LAM1710 **Lamona Side Control Black Ceramic Hob**	LAM1702 LAM1711 **Lamona Side Control White Ceramic Hob**	HAP1673 **Bosch Front Touch Control Ceramic Hob**	LAM1211 **Lamona Electric Hob**	LAM1210 **Lamona Enamel Electric Hob**	LAM1213 **Lamona Enamel Electric Hob**	HAP1211 **Bosch Standard Electric Hob**
✓	✓									
✓	✓									
		✓				✓				
			✓							
			✓	✓	✓	✓				
		✓	✓	✓	✓	✓				
		✓	✓	✓	✓	✓	✓	✓	✓	✓
		✓	✓	✓	✓	✓				
1.7 | 3.0 1.7 | 1.0	1.75 | 1.75 3.0 | 1.0	1.2 | 1.5 1.5 | 1.2	1.2 | 1.8 2.1 | 1.2	1.2 | 1.7 1.7 | 1.2	1.2 | 1.7 1.7 | 1.2	2.2 | 1.2 1.2 | 2.0	1.5 | 1.5 2.0 | 1.5	1.5 | 1.5 2.0 | 1.5	1.5 | 1.5 2.0 | 1.5	1.5 | 2.0 2.0 | 1.5
		✓	✓			✓				
3 AMP	**3 AMP**	**32 AMP**	**32 AMP**	**32 AMP**	**32 AMP**	**30 AMP**	**32 AMP**	**32 AMP**	**32 AMP**	**25 AMP**

Extractor
Comparison Guide

The below comparison guide can be used to compare features such as extraction rate and noise level for each extractor.

Key Guide

Extraction Rate - Maximum rate of extraction in cubic metres per hour. Rate of extraction is based on ducted installation.	480 M3
Fan Speeds - Number of fan speeds available	4
Noise Level - In decibels at maximum fan speed (dBA)	65 dBA
Built In Light - A secondary source of light for convenience whilst cooking	
Ducting Kit - Diameter sizes which can be used	Ø 150
Automatic Fan - Microswitch control operates fan automatically when door or visor is opened	
Remote Control - Remote operation for ease of use	
Amperage Required - Supply needed	3 AMP

Chimney Extractors

LAM2601 **Lamona Stainless Steel Cylinder Island Chimney Extractor Diam 35cm**	LAM2600 **Lamona Stainless Steel and Glass Island Chimney Extractor 90cm**	HJA2600 **Lamona Angled Chimney Extractor 90cm**	LAM2590 LAM2570 LAM2560 **Lamona Flat Glass Extractor 90/70/60cm**	LAM2561 **Lamona White Flat Glass Extractor 60cm**	LAM2562 **Lamona Black Flat Glass Extractor 60cm**	HJA2500/ HJA2420 **Lamona Stainless Steel and Glass Chimney Extractor 90/60cm**
507	851	851	378	378	378	480
3	3	3	3	3	3	3
61	61	61	67	67	67	55
✓	✓	✓	✓	✓	✓	✓
125 150	125	125	125	125	125	125
		✓				
3 AMP	3 AMP	3 AMP	3 AMP	3 AMP	3 AMP	3 AMP

Chimney Extractors

Canopy/Integrated Extractors

Conventional Extractors

HJA2540 **Lamona Stainless Steel Chimney Extractor 90cm**	LAM2543 **Lamona Black Chimney Extractor 90cm**	HJA2450 **Lamona Stainless Steel Standard Chimney Extractor 60cm**	HJA2480 **Lamona Stainless Steel Standard Chimney Extractor 60cm**	LAM2401 **Lamona Black Standard Chimney Extractor 60cm**	HAP2411 **Bosch Standard Chimney Extractor 60cm**	HAP2560 **Rangemaster Chimney Extractor 110cm**	HJA2339 **Lamona Canopy Extractor 60cm**	HJA2240 **Lamona Integrated Turbo Extractor 60cm**	HJA2230 **Lamona Integrated Extractor 60cm**	HJA2180 **Lamona Deluxe Conventional Extractor 60cm**	HJA2182 **Lamona Conventional Extractor 60cm**
480	400	234	270	270	340	480	220	399	220	180	180
3	3	3	3	3	2	3	3	3	3	3	3
55	58	62	62	62	66	65	55	55	55	55	55
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
125	125	125	125	125	125	125 150	125	125	125	125	125
								✓	✓		
3 AMP	3 AMP	3 AMP	3 AMP	3 AMP	3 AMP	3 AMP	3 AMP	3 AMP	3 AMP	3 AMP	3 AMP

Refrigeration
Comparison Guide

The below comparison guide can be used to compare features such as net capacity and ice box rating.

Key Guide

Frost Free - Prevents the build up of frost and removes the need to defrost the freezer.	✳
Fast Freeze - Rapidly freezes freshly prepared or recently purchased food, preventing the freezer temperature from rising too high.	✳
Storage Period in Power Failure - The length of time in hours that food will be kept frozen before defrosting begins.	12 hrs
Ice Box Rating - Freezers are graded using a four star rating system, which specifies the minimum temperature and maximum storage time for freezing fresh food	★★ ★★
Temperature Warning Indicator - Warns if the temperature within the freezer rises	
Net Usable Capacity - Fridge net storage capacity in litres	128 ltrs
Net Usable Capacity - Freezer net storage capacity in litres	128 ltrs
Thermostatic Regulator - Varies the internal temperature	
Concealed Evaporator Plate - For hygiene and easy cleaning	EVAP
CFC/HFC free - All fridges and freezers are free from CFC and HFC gases which are harmful to the environment	
Energy Efficiency - Energy rating	A+
Amperage Required - Supply needed	13 AMP
Energy Saving Trust Recommended	

Tower Refrigeration

LAM6700 **Lamona Integrated Full-Height Larder Fridge**	HJA6750 **Lamona Integrated Full-Height Freezer**	HJA6015 **Lamona Integrated 70/30 Frost Free Fridge Freezer**	LAM6800 **Lamona Integrated 70/30 Fridge Freezer**	HJA6856 **Lamona Integrated 50/50 Frost Free Fridge Freezer**	HJA6853 **Lamona Integrated 50/50 Fridge Freezer**
	✓	✓		✓	
	✓	✓		✓	✓
	15	13	20	13	14
	★★ ★★	★★ ★★	★★ ★★	★★ ★★	★★ ★★
	✓				
310		189	189	155	155
	196	48	55	62	69
✓		✓	✓	✓	✓
✓		✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
A+	A+	A+	A+	A+	A+
13 AMP	13 AMP	13 AMP	13 AMP	13 AMP	13 AMP
✓	✓	✓	✓	✓	✓

Built-Under Refrigeration

Drinks Coolers

HAP6020 **Bosch Integrated 70/30 Fridge Freezer**	HAP6734 **Integrated Tower Larder Fridge**	HAP6657 **Integrated Tower Freezer**	HJA6132 **Lamona Built-Under Integrated Fridge**	HJA6312 **Lamona Built-Under Integrated Larder Fridge**	LAM6400 **Lamona Built-Under Integrated Freezer**	HAP6301 **Bosch Built-Under Integrated Larder Fridge**	HAP6401 **Bosch Built-Under Integrated Freezer**	LAM6911 **Lamona 300mm Drinks Cooler**	LAM6901 **Lamona 150mm Drinks Cooler**
		✓			✓		✓		
13		**16**	**10**		**19**		**24**		
★★ ★★		★★ ★★	★★ ★★		★★ ★★		★★ ★★		
		✓			✓		✓		
219	**155**		**105**	**128**		**138**		**58**	**20**
60		**91**	**18**		**87**		**98**		
✓	✓		✓	✓		✓		✓	✓
✓	✓		✓	✓		✓		✓	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
A+	A+	A+	A+	A+	A+	A+	A+	B	C
13 AMP	**13 AMP**	**13 AMP**	**13 AMP**	**13 AMP**	**13 AMP**	**13 AMP**	**13 AMP**	**13 AMP**	**13 AMP**
			✓	✓	✓				

Dishwasher Comparison Guide

The below comparison guide can be used to compare the features and rating for each dishwasher.

Key Guide

Dishwashers

Key Guide	LAM8670 **Lamona Eco Deluxe Fully Integrated Dishwasher**	LAM8651 **Lamona Deluxe Fully Integrated Dishwasher**	LAM8601 **Lamona Fully Integrated Dishwasher**	LAM8301 **Lamona Slimline Fully Integrated Dishwasher**	HAP8601 **Bosch Fully Integrated Dishwasher**
Capacity - Number of place settings. One place setting consists of a dinner plate, soup plate, dessert plate, glass tumbler, tea cup and saucer, knife, fork, soup spoon, dessert spoon and teaspoon.	13	12	12	10	12
Water Usage – Consumption of water in litres on normal wash programme.	10	15	15	13	12
Automatic Water Softener - Ensures the correct amount of salt is released for each load.	✓	✓	✓	✓	✓
Watersafe Waterstop System - In the event of a leak, the water supply to the dishwasher is switched off automatically.	✓	✓	✓	✓	✓
Noise Level - In decibels (dBA).	46	49	52	52	46
Top Cutlery Tray - Third unique loading level for cutlery/ utensils located at the top of the dishwasher, freeing more space in the lower basket.	✓	✓			✓
'Fast Click' Height Adjustable Basket - 'Fast Click' uses a clip system to alter the height of the top basket.	✓	✓			✓
Standard Height Adjustable Basket - To adjust the height, remove the whole basket.				✓	
Upper Basket Folding Racks - Folding upper basket racks to allow 2 tier stacking and greater flexibility.	✓	✓	✓	✓	✓
Upper Basket Folding Tines - Tines can be folded down to create more space for glasses or mugs.	✓	✓			✓
Lower Basket Folding Plate Tines - Support tines can be adjusted to accommodate larger items such as saucepans and large bowls.	✓	✓			✓
Sliding Cutlery Basket - Feature designed to allow free placement of dishes according to size by moving the cutlery basket along the tines.	✓	✓			✓
Plate Size Diameter (cm) - The maximum plate size in cm the dishwasher can hold.	35	35	31	31	30
Salt and Rinse Aid Warning Indicator - Warning indicator to show when dispensers need refilling. Rinse aid is released during the final hot rinse cycle to remove spots or streaks. Salt is added to soften water and prevent streaking caused by limescale.	✓	✓	✓	✓	✓
Power Usage - In kW/h on normal wash.	1.03	1.09	1.09	0.94	1.03
Energy Efficiency - Energy rating	A+	A	A	A	A+
Wash Efficiency - Wash rating	A	A	A	A	A
Drying Efficiency - Drying rating	A	A	A	A	A
Amperage Required - Supply needed	13 AMP	13 AMP	13 AMP	13 AMP	13 AMP
Energy Saving Trust Recommended	✓				

Laundry

HJA8701 **1400rpm Integrated Washer Dryer**	HJA8511 **1600rpm Integrated Washing Machine**	HJA8501 **1400rpm Integrated Washing Machine**	HJA8800 **Lamona Integrated Tumble Dryer**	HAP8700 **Bosch Integrated Washer Dryer**	HAP8510 **Bosch Integrated Washing Machine**
7/4kg	**7kg**	**7kg**	**6kg**	**6/3kg**	**7kg**
1400	**1600**	**1400**		**1400**	**1200**
✓	✓	✓		✓	✓
✓	✓	✓		✓	✓
✓	✓	✓		✓	✓
✓				✓	
✓	✓	✓		✓	
A	A+	A+	C	B	A+
A	A	A		A	A
B	A	B		B	B
13 AMP	**13 AMP**	**13 AMP**	**13 AMP**	**13 AMP**	**13 AMP**

Key Guide

Laundry Comparison Guide

The comparison guide below can be used to compare the features for each laundry appliance.

6 kg	**Wash/Dry Load** - Maximum wash/dry capacity (kg).
1400	**Spin Speed** - Measured in revolutions per minute (rpm). At a fast spin speed, more water is extracted from the wash load, reducing drying time and overall running cost.
C	**Cold Fill** - An energy efficient system. Only the water required for the washing is heated. There is no loss of heat in the pipeline from the hot water tank or boiler to the machine. This can also increase the efficiency of the enzymes within detergents.
	Automatic Load Detection System - The washing machine is fitted with a sensor, enabling it to use the exact amount of water needed to wash and rinse in relation to the load, without compromising performance.
ECON	**Economy Programme** - A programme feature designed to reduce energy consumption.
	Condenser Dryer – Does not require a vent. Condenses and pumps water through waste pipe or separate pull out tray.
	Child lock - This safety feature prevents unwanted changes to appliance settings
A	**Energy Efficiency** - Energy rating
A	**Wash Efficiency** - Wash rating
A	**Spin Drying Efficiency** - Spin drying rating
13 AMP	**Amperage Required** - Supply needed

Quick Reference Guide

Lamona Ovens

LAMONA

LAM3600 Lamona Single Multi-Function Oven
(page 08)

LAM3400 Lamona Single Fan Oven
(page 08)

LAM3401 Lamona Single Fan Oven
(page 08)

NEW

LAM3402 Lamona White Single Fan Oven
(page 09)

NEW

LAM3206 Lamona Black Single Fan Oven
(page 09)

LAM3301 Lamona Single Fan Assisted Oven
(page 09)

LAM3204 Lamona Single Conventional Oven
(page 10)

LAM3201 Lamona Single Conventional Oven
(page 10)

LAM3205 Lamona Single Conventional Oven
(page 10)

LAM3206 Lamona Single Conventional Oven
(page 11)

LAM4601 Lamona Double Fan Oven
(page 11)

LAM4401 Lamona Built-Under Double Fan Oven
(page 11)

Lamona Range Cooker

LAM5100 Lamona Range Cooker
(page 12)

Lamona Microwave Ovens

HJA7042 Lamona Integrated Microwave & Grill
(page 13)

HJA7030 Lamona Wall Unit Microwave
(page 13)

LAM1180 Lamona Professional 5 Burner Gas Hob
(page 20)

LAM1160 Lamona Professional Gas Hob
(page 20)

LAM1001 Lamona Gas Hob
(page 20)

LAM1000 Lamona Enamel Gas Hob
(page 21)

LAM1003 Lamona Enamel Gas Hob
(page 21)

LAM1761 Lamona Induction Hob
(page 21)

LAM1741 Lamona Front Touch Control Ceramic Hob
(page 22)



LAM1701/LAM1710 Lamona Side Control Black Ceramic Hob
(page 22)



LAM1702/LAM1711 Lamona Side Control White Ceramic Hob
(page 22)

LAM1211 Lamona Electric Hob
(page 23)

LAM1210 Lamona Enamel Electric Hob
(page 23)

LAM1213 Lamona Enamel Electric Hob
(page 23)

Quick Reference Guide

Lamo

LAMONA

LAM26(
Cylinder
(page 2

Stainless Steel and
y Extractor (90cm)

HJA2600 Lamona Angled Chimney Extractor (90cm)
(page 28)

LAM2590 Lamona 90cm Flat Glass Extractor
(page 29)

LAM25
Extracto
(page 2

60cm Flat Glass

LAM2561 Lamona 60cm White Flat Glass Extractor
(page 30)

LAM2562 Lamona 60cm Black Flat Glass Extractor
(page 30)

HJA2500 Lamona Stainless Steel and Glass Chimney Extractor (90cm)
(page 30)

HJA2420 Lamona Stainless Steel and Glass Chimney Extractor (60cm)
(page 31)

HJA2540 Lamona Stainless Steel Chimney Extractor (90cm)
(page 31)

LAM2543 Lamona Black Chimney Extractor (90cm)
(page 31)

HJA2450 Lamona Stainless Steel Standard Chimney Extractor (60cm) **(page 32)**

HJA2480 Lamona Stainless Steel Standard Chimney Extractor (60cm) **(page 32)**

LAM2401 Lamona Black Standard Chimney Extractor (60cm) **(page 32)**

HJA2339 Lamona Canopy Extractor (60cm) **(page 33)**

HJA2240 Lamona Integrated Turbo Extractor (60cm) **(page 33)**

HJA2230 Lamona Integrated Extractor (60cm) **(page 33)**

HJA2180 Lamona Deluxe Conventional Extractor (60cm)
(page 34)

HJA2182 Lamona Conventional Extractor (60cm) **(page 34)**

LAM6700 Lamona
Integrated Full-Height
Larder Fridge
(page 40)

HJA6750 Lamona
Integrated Full-Height Freezer
(page 40)

HJA6015 Lamona
Integrated 70/30
Frost Free Fridge Freezer
(page 41)

LAM6800 Lamona
Integrated 70/30
Fridge Freezer
(page 41)

HJA6856 Lamona
Integrated 50/50
Frost Free Fridge Freezer
(page 42)

HJA6853 Lamona
Integrated 50/50 Fridge
Freezer
(page 42)

HJA6132 Lamona
Built-Under Integrated Fridge
(page 44)

HJA6312 Lamona
Built-Under Integrated
Larder Fridge
(page 44)

LAM6400 Lamona
Built-Under Integrated Freezer
(page 45)

LAM6911
Lamona 300mm
Drinks Cooler
(300mm)
(page 46)

LAM6901
Lamona 150mm
Drinks Cooler
(150mm)
(page 46)

Quick Reference Guide

Lamona Dishwashers

LAMONA

LAM8670 Lamona Eco Deluxe Fully Integrated Dishwasher **(page 50)**

LAM8651 Lamona Deluxe Fully Integrated Dishwasher **(page 50)**

LAM8601 Lamona Fully Integrated Dishwasher **(page 50)**

LAM8301 Lamona Slimline Fully Integrated Dishwasher **(page 51)**

Lamona Laundry

HJA8800 Lamona Integrated Tumble Dryer
(page 55)

Bosch Ovens

HAP3331 Bosch Single Fan Oven
(page 14)

HAP3300 Bosch Standard Single Fan Oven
(page 14)

HAP4500 Bosch Built-Under Double Fan Oven
(page 14)

HAP4330 Bosch Double Fan Oven
(page 15)

Bosch Microwave Oven

HAP7010 Bosch Integrated Combination Microwave
(page 15)

Bosch Hobs

HAP1170 Bosch 5 Burner Gas Hob
(page 24)

HAP1160 Bosch Gas Hob
(page 24)

HAP1141 Bosch Standard Gas Hob
(page 24)

HAP1673 Bosch Front Touch Control Ceramic Hob
(page 25)

HAP1211 Bosch Standard Electric Hob
(page 25)

Bosch Extractor

HAP2411 Bosch Standard Chimney Extractor (60cm)
(page 35)

Quick Reference Guide

Bosch Refrigeration

HAP6020 Bosch Integrated
70/30 Fridge Freezer
(page 46)

HAP6301 Bosch Built-Under
Integrated Larder Fridge
(page 47)

HAP6401 Bosch Built-Under
Integrated Freezer
(page 47)

Bosch Dishwashers

HAP8601 Bosch Fully Integrated
Dishwasher
(page 51)

Bosch Laundry

HAP8700 Bosch Integrated
Washer Dryer
(page 56)

HAP8510 Bosch Integrated
Washing Machine
(page 56)

Kitchen Collection

Howdens offers a range of over 40 kitchens complete with a range of accessories, worktops, sinks, taps and a wide variety of Lamona appliances exclusive to Howdens.

The Families

Six different door styles available in a choice of colours and finishes.

Tewkesbury*

- Solid timber Shaker doors available in a choice of colours.

Gloss Integrated Handle

- Gloss slab doors with an integrated linear pull handle.

Glendevon

- High gloss slab doors available in a selection of colours.

Burford

- Simple Shaker doors in a variety of matt, gloss or wood grain finishes. Matching joinery doors and mouldings are available in a Burford style to complete the look.

Saponetta

- Contemporary shaped doors in a choice of colours and wood grain.

Greenwich

- Simple slab and Shaker doors in a variety of matt, gloss or wood grain finishes. Flush joinery doors are available in oak and beech to match the Greenwich kitchen ranges.

Haworth White

Tewkesbury White

Tewkesbury Skye

Tewkesbury Light Oak

Tewkesbury Oak

Gloss White Integrated Handle

Gloss Cream Integrated Handle

Gloss Flint Grey Integrated Handle

Glendevon White

Glendevon Cream

*Tewkesbury White and Tewkesbury Skye have a solid timber frame and a veneered centre panel.

Glendevon Flint Grey

Glendevon Graphite

Glendevon Dark Oak Mix & Match

Burford Gloss White

Burford Gloss Cream

Burford Gloss Flint Grey

Burford White

Burford Cream

Burford Grey

Burford Beech

Burford Light Oak

Saponetta White

Saponetta Cream

Saponetta Grey

Saponetta Light Oak

Greenwich Gloss White

Greenwich Gloss Cream

Greenwich Gloss Flint Grey

Greenwich Shaker White

Greenwich Shaker Cream

Greenwich Shaker Grey

Greenwich White Smooth

Greenwich Cream

Greenwich Grey

Greenwich Maple†

Greenwich Beech

Greenwich Light Oak

Greenwich Cross Sawn Oak

Greenwich Walnut†

Greenwich Dark Walnut†

†Subject to availability

Lamona Gas Hob

Lamona Single Bowl Sink (1 tap hole)

1400rpm Integrated Washing Machine

Lamona Built-Under Double Fan Oven

Lamona Integrated Extractor

Lamona Built-Under Integrated Freezer

recycle
When you have finished with this brochure please recycle it.

MIX
Paper from responsible sources
FSC® C081735
www.fsc.org

This brochure is printed on FSC® certified paper

HOWDENS JOINERY CO. | MAKING SPACE MORE VALUABLE

May 2013 ISSUE (XBR1007)
Howden Joinery Ltd, First Floor, 40 Portman Square, London, W1H 6LT.
Registered in England 526923
www.howdens.com

Product information correct at the time of publication in May 2013.
The company has a policy of continuous product development and reserves the right to change any products and specifications given in this brochure. Subject to the Terms and Conditions of Trading, a copy of the Howdens Joinery Terms and Conditions is available upon request. Photography is for illustration purposes only, some products may differ from those shown. The colours in this brochure are as accurate as printing processes allow. Many of the kitchens used in the photography of this brochure have been donated to local community projects.